



 **SBOX**



- **Smart Accessories for Everyday Life**

Founded in 2007 and headquartered in Hong Kong, SBOX TECHNOLOGY LTD. is led by a team of experienced European professionals. Our R&D and design center in Europe ensures that we deliver innovative, high-quality, and stylish tech accessories for modern users worldwide.

- **Global Manufacturing. Local Expertise.**

SBOX collaborates with a trusted network of premium manufacturers in China, producing high-performance solutions in: Information Technology and Audio-Visual Systems. This global presence ensures consistent performance, fast delivery, and full control over quality and design.

- **Our Product Range**

From home entertainment to office essentials, SBOX offers a wide array of user-focused, high-performance accessories: TV, monitor & projector mounts and stands (wall, floor, ceiling & desktop), Projector screens, Laptop bags & backpacks, Cables, adapters & connectors, Screen cleaners & TV remote controls, Up/Down desks, PC Peripherals: mice, keyboards, headsets, speakers, hubs, earphones, Laptop cooling pads, chargers & adapters. Each product is designed to streamline your workflow, enhance your entertainment, and simplify your tech life.

- **Design Meets Function**

At SBOX, we believe great design is essential. Our products are developed with a focus on: Minimalist, modern aesthetics, Durable, premium-grade materials, Effortless usability and comfort. The result? Accessories that not only perform flawlessly but also seamlessly fit your lifestyle.

- **Supporting Our Partners**

We go beyond product delivery by offering comprehensive support to our partners: Responsive sales and after-sales service, Dedicated technical support, Custom marketing and promotional resources. Whether you're a distributor, reseller, or retail partner, we're here to help you grow.

- **Our Commitment**

At SBOX, we're not just delivering tech - We're building lasting, transparent partnerships based on trust, performance, and shared success.

SBOX TECHNOLOGY LTD.
FLAT 906, 9/F., WORKINGPORT COMM.
BLDG., 3 HAU FOOK ST. TSIM SHA TSUI,
KOWLOON, HONG KONG

Contact: info@sbox.biz
Web: www.sbox.biz

TABLE OF CONTENT:

3 Wall Mounts

15 Ceiling Mounts

16 Desktop Mounts

23 Floor Stands

27 Tables

33 Projector Mounts
and Screens

40 Remote Controls

42 Notebook Bags

48 Cleaners

Computer Accessories **50**

Mice **51**

Mouse pads **55**

Keyboards **56**

Cooling Pads **59**

Speakers **61**

Headsets / Earphones **62**

Microphones **66**

USB Accessories **67**

Power Adapters **71**



USB Chargers
& Holders **76**

HDMI Splitters **79**

Computer Parts **81**

Coffee Maker **83**

Cables, Adapters
& Connectors **85**




MOUNTS

Smart design. Full comfort. SBOX wall mounts fit any screen size, support all VESA standards, and offer tilt, swivel & extend functions.

Easy install. Maximum control.

LCD-221-2 FULL MOTION WALL MOUNT


Suggested Screen Size: 13" - 43" / 33 cm - 109 cm
 Rated Load: 20 kg / 44 lb
 VESA: 75x75, 100x100, 200x100, 200x200
 Tilt: +5° to -12°
 Swivel: +60° to -60°
 Screen rotation: +5° to -90°
 Distance from the wall: 66 mm - 198 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 198 x 227 x 227
 Installation: Solid wall, Single stud



FULL MOTION **20 kg** **VESA 200x200**
 13" - 43" / 33 - 109 cm

LCD-441 FULL MOTION WALL MOUNT


Suggested Screen Size: 23" - 55" / 58 cm - 140 cm
 Rated Load: 30 kg / 66 lb
 VESA: 100x100, 100x200, 200x100, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400
 Tilt: +5° to -8°
 Swivel: +90° to -90°
 Distance from the wall: 60 mm to 208 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 208 x 430 x 430
 Installation: Solid wall, Single stud
 Cable Management



FULL MOTION **30 kg** **VESA 400x400**
 23" - 55" / 58 - 140 cm

LCD-223-2 FULL MOTION WALL MOUNT



Suggested Screen Size: 13" - 43" / 33 cm - 109 cm
 Rated Load: 20 kg / 44 lb
 VESA: 75x75, 100x100, 100x200, 200x100, 200x200
 Tilt: +5° to -15°
 Swivel: +90° to -90°
 Screen rotation: +5° to -90°
 Distance from the wall: 66 mm - 370 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 370 x 227 x 227
 Installation: Solid wall, Single stud
 Cable Management



FULL MOTION **20 kg** **VESA 200x200**
 13" - 43" / 33 - 109 cm

LCD-443 FULL MOTION WALL MOUNT

Suggested Screen Size: 23"-55" / 58 cm - 140 cm
 Rated Load: 30 kg / 66 lb
 VESA: 100x100, 100x200, 200x100,
 200x200, 300x200, 400x200,
 300x300, 400x300, 400x400
 Tilt: +3° to -10°
 Swivel: +90° to -90°
 Distance from the wall: 60 mm to 382 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 382 x 430 x 430
 Installation: Solid wall, Single stud
 Cable Management




FULL MOTION **30 kg** **VESA** 400x400

23" - 55"
58 - 140 cm

PLB-2222F-2 FIXED WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 50x50, 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200
 Distance from the wall: 20 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 20 x 265 x 220
 Installation: Solid wall





FIXED **45 kg** **VESA** 200x200 **ULTRA SLIM** 20 mm from wall

23" - 43"
58 - 109 cm

PLB-2522F-2 FIXED WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200
 Distance from the wall: 27 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 240 x 223 x 27
 Installation: Solid wall



FIXED **45 kg** **VESA** 200x200

23" - 43"
58 - 109 cm

PLB-2544F-2 FIXED WALL MOUNT

Suggested Screen Size: 32" - 70" / 81 cm - 178 cm

Rated Load: 45 kg / 99 lb

VESA: 75x75, 100x100, 100x150, 150x100,
100x200, 200x100, 150x150, 200x200,
300x200, 400x200, 300x300, 400x300,
400x400

Distance from the wall: 27 mm



Material: Steel

Surface Finish: Powder coating

Color: Black

Product Size (mm): 435 x 420 x 27

Installation: Solid wall, Double stud



FIXED **32" - 70"**
81 - 178 cm

45 kg

VESA
400x400

PLB-2264F-2 FIXED WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm

Rated Load: 45 kg / 99 lb

VESA: 200x200, 300x200, 400x200, 300x300,
400x300, 400x400, 600x400

Distance from the wall: 20 mm



Material: Steel, Plastic

Surface Finish: Powder coating

Color: Black

Product Size (mm): 20 x 650 x 418

Installation: Solid wall, Double stud



FIXED **37" - 80"**
94 - 203 cm

45 kg

VESA
600x400

ULTRA SLIM
20 mm from wall

PLB-7369F FIXED WALL MOUNT

Suggested Screen Size: 60" - 120" / 152 cm - 305 cm

Rated Load: 120 kg / 264.5 lb

VESA: 50x50, 75x75, 100x100, 100x150, 150x100,
100x200, 200x100, 150x150, 200x200, 200x300,
300x200, 200x400, 400x200, 300x300, 300x400,
400x300, 600x200, 400x400, 600x300, 400x600,
600x400, 700x400, 800x400, 600x600, 800x500,
800x600, 900x600

Distance from the wall: 35 mm


Material: Steel

Surface Finish: Powder coating

Color: Black

Product Size (mm): 35 x 1005 x 625

Installation: Solid wall, Double stud





FIXED **60" - 120"**
152 - 305 cm

120 kg

VESA
900x600

PLB-5746F FIXED WALL MOUNT



Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 35 kg / 77 lb
 VESA: 200x200, 300x200, 300x300, 400x200,
 400x300, 400x400, 600x400
 Distance from the wall: 18 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 30 x 702 x 440
 Installation: Solid wall, Double stud



FIXED **37" - 70"** **35 kg** **VESA** **ULTRA SLIM**
 94 - 178 cm 600x400 18 mm from wall

PLB-2546F-2 FIXED WALL MOUNT


Suggested Screen Size: 37" - 80" / 94 cm - 203 cm
 Rated Load: 45 kg / 99 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400
 Distance from the wall: 27 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 635 x 420 x 27
 Installation: Solid wall, Double stud



FIXED **37" - 80"** **45 kg** **VESA** **ULTRA SLIM**
 94 - 203 cm 600x400 27 mm from wall

PLB-1948 FIXED WALL MOUNT


Suggested Screen Size: 43" - 100" / 109 cm - 254 cm
 Rated Load: 75 kg / 165 lb
 VESA: 200x200, 300x200, 400x200, 300x300, 400x300,
 400x400, 600x400, 800x400, 800x600
 Distance from the wall: 9.5 mm
 Material: Aluminum, Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 930 x 250 x 9.5
 Installation: Solid wall, Double stud



FIXED **43" - 100"** **75 kg** **VESA** **ULTRA SLIM**
 109 - 254 cm 800x600 9.5 mm from wall

PLB-3422T-2 TILTING WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 50x50, 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200
 Tilt: 0° to -8°
 Distance from the wall: 20 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 20 x 265 x 220
 Installation: Solid wall





TILT 23" - 43" / 58 - 109 cm

KG 45 kg

VESA 200x200

PLB-2522T-2 TILTING WALL MOUNT

Suggested Screen Size: 23" - 43" / 58 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200
 Tilt: +12° to -12°
 Distance from the wall: 53 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 53 x 240 x 223
 Installation: Solid wall




TILT 23" - 43" / 58 - 109 cm

KG 45 kg

VESA 200x200

PLB-2544T-2 TILTING WALL MOUNT

Suggested Screen Size: 32" - 70" / 81 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 75x75, 100x100, 100x150, 150x100,
 100x200, 200x100, 150x150, 200x200,
 300x200, 400x200, 300x300, 400x300,
 400x400
 Tilt: +12° to -12°
 Distance from the wall: 53 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 53 x 435 x 420
 Installation: Solid wall, Double stud





TILT 32" - 70" / 81 - 178 cm

KG 45 kg

VESA 400x400

PLB-2546T-2 TILTING WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm
 Rated Load: 45 kg / 99 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400
 Tilt: +12° to -12°
 Distance from the wall: 53 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 53 x 635 x 420
 Installation: Solid wall, Double stud





37" - 80"
94 - 203 cm

45 kg

VESA
600x400

PLB-3446T-2 TILTING WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm
 Rated Load: 45 kg / 99 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400
 Tilt: 0° to -8°
 Distance from the wall: 20 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 20 x 650 x 418
 Installation: Solid wall, Double stud



37" - 80"
94 - 203 cm


45 kg

VESA
600x400

ULTRA SLIM
20 mm from wall

PLB-4269T-2 TILTING WALL MOUNT

Suggested Screen Size: 43" - 100" / 109 cm - 254 cm
 Rated Load: 75 kg / 165 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400, 600x600,
 800x600, 900x600
 Tilt: +5° to -10°
 Distance from the wall: 85 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 938 x 625 x 85
 Installation: Solid wall, Double stud





43" - 100"
109 - 254 cm

75 kg

VESA
900x600

PLB-5948T-2 TILTING WALL MOUNT

Suggested Screen Size: 43" - 95" / 109 cm - 241 cm
 Rated Load: 75 kg / 165 lb
 VESA: 200x200, 300x200, 300x300, 400x200, 400x300, 400x400, 600x400, 800x400
 Tilt: 0° to -8°
 Distance from the wall: 42 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 886 x 426 x 42
 Installation: Solid wall, Double stud




43" - 95"
109 - 241 cm

75 kg

VESA
800x400

PLB-3644-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 32" - 55" / 81 cm - 140 cm
 Rated Load: 35 kg / 77 lb
 VESA: 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200, 300x200, 400x200, 300x300, 400x300, 400x400
 Tilt: +3° to -15°
 Swivel: +90° to -90°
 Level Adjustment: +3° to -3°
 Distance from the wall: 63 mm - 358 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 358 x 440 x 420
 Installation: Solid wall, Double stud
 Cable Management





32" - 55"
81 - 140 cm

35 kg

VESA
400x400

PLB-3646-2 FULL MOTION WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm
 Rated Load: 40 kg / 88 lb
 VESA: 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200, 300x200, 400x200, 300x300, 400x300, 600x200, 400x400, 600x300, 600x400
 Tilt: +3° to -15°
 Swivel: +60° to -60°
 Level Adjustment: +3° to -3°
 Distance from the wall: 67 mm - 355 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 355 x 640 x 420
 Installation: Solid wall, Double stud
 Cable Management





37" - 80"
94 - 203 cm

40 kg

VESA
600x400

LVW02-48T VIDEO WALL MOUNT

Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 70 kg / 154 lb
 VESA: 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400, 800x400
 Level Adjustment: +3° to -3°
 Distance from the wall: 78 mm - 220 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 900 x 440 x 220
 Installation: Solid wall
 Safety: Security key lock against theft
 (Key lock not included)




FIXED **37"- 70"** **70 kg** **VESA** **LOCK**

94 - 178 cm 800x400

LVW13-46T VIDEO WALL MOUNT

Suggested Screen Size: 45" - 70" / 114 cm - 178 cm
 Rated Load: 70 kg / 154 lb
 VESA: 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400
 Tilt: +2° to -3°
 Distance from the wall: 120 mm - 325mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 640 x 120-325 x 544
 Installation: Solid wall
 Safety: Security key lock against theft
 (Key lock not included)





TILT **45"- 70"** **70 kg** **VESA** **LOCK**

114 - 178 cm 600x400

PLB-6546T-2 TILTING WALL MOUNT

Suggested Screen Size: 37" - 80" / 94 cm - 203 cm
 Rated Load: 75 kg / 165 lb
 VESA: 200x200, 200x300, 300x200, 200x400, 400x200, 300x300, 300x400, 400x300, 600x200, 400x400, 600x300, 600x400
 Tilt: +5° to -10°
 Swivel: +5° to -5°
 Level Adjustment: 6 mm
 Distance from the wall: 72 mm - 133 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 133 x 653 x 430
 Installation: Solid wall, Double stud




TILT **37"- 80"** **75 kg** **VESA**

94 - 203 cm 600x400

PLB-7486 FULL MOTION WALL MOUNT


Suggested Screen Size: 43" - 100" / 109 cm - 254 cm
 Rated Load: 120 kg / 264 lb
 VESA: 200x200, 300x200, 400x200,
 300x300, 400x300, 400x400,
 600x400, 800x400
 Tilt: +5° to -15°
 Swivel: +60° to -60°
 Level Adjustment: +5° to -5°
 Distance from the wall: 75 mm - 703 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 730 x 910 x 430
 Installation: Solid wall, Double stud
 Cable Management



FULL MOTION **43"- 100"** **120 kg** **VESA**
 109 - 254 cm 800x400

PLB-3769 FULL MOTION WALL MOUNT



Suggested Screen Size: 60" - 100" / 152 cm - 254 cm
 Rated Load: 80 kg / 176 lb
 VESA: 200x200, 400x200, 300x300, 400x400,
 600x400, 800x400, 800x600, 900x600
 Tilt: +5° to -15°
 Swivel: +45° to -45°
 Level Adjustment: +3° to -3°
 Distance from the wall: 70 mm - 625 mm
 Material: Steel, Aluminum, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 625 x 1050 x 630
 Installation: Solid wall, Double stud
 Cable Management



FULL MOTION **60"- 100"** **80 kg** **VESA**
 152 - 254 cm 900x600

PLB-61486 FULL MOTION WALL MOUNT


Suggested Screen Size: 43" - 90" / 109 cm - 229 cm
 Rated Load: 60 kg / 132 lb
 VESA: 300x200, 300x300, 400x200, 400x300,
 400x400, 600x400, 800x400
 Tilt: +3° to -15°
 Swivel: +60° to -60°
 Level Adjustment: +3° to -3°
 Distance from the wall: 77 mm - 428 mm
 Material: Steel, Plastic, ABS
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 428 x 840 x 425
 Installation: Solid wall, Double stud
 Cable Management



FULL MOTION **43"- 90"** **60 kg** **VESA**
 109 - 229 cm 800x400

PLB-8148 FULL MOTION WALL MOUNT

Suggested Screen Size: 43" - 100" / 109 cm - 254 cm
 Rated Load: 60 kg / 132 lb
 VESA: 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400, 800x400
 Tilt: +5° to -10°
 Swivel: +60° to -60°
 Level Adjustment: +3° to -3°
 Distance from the wall: 65 mm - 480 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 480 x 906 x 403
 Installation: Solid wall, Double stud
 Cable Management





FULL MOTION **43"- 100"** **60 kg** **VESA** **800x400**

109 - 254 cm

PLB-79464 FULL MOTION WALL MOUNT


Suggested Screen Size: 43" - 90" / 109 cm - 229 cm
 Rated Load: 50 kg / 110 lb
 VESA: 200x200, 200x300, 300x200, 200x400, 400x200, 300x300, 300x400, 400x300, 600x200, 400x400, 600x300, 600x400
 Tilt: +3° to -15°
 Swivel: +30° to -30°
 Level Adjustment: +3° to -3°
 Distance from the wall: 19.5 mm - 250 mm
 Material: Steel, Plastic
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 250 x 632 x 432
 Installation: Solid wall, Double stud
 Cable Management



FULL MOTION **43"- 90"** **50 kg** **VESA** **600x400** **ULTRA SLIM**
 109 - 229 cm 19.5 mm from wall

BL-3722F FIXED WALL MOUNT BUDGET LINE

Suggested Screen Size: 13" - 43" / 33 cm - 109 cm
 Rated Load: 45 kg / 99 lb
 VESA: 50x50, 75x75, 100x100, 100x150, 150x100, 100x200, 200x100, 150x150, 200x200
 Distance from the wall: 22 mm
 Material: Steel
 Surface Finish: Powder coating
 Color: Black
 Product Size (mm): 245 x 220 x 22
 Installation: Solid wall, Double stud



FIXED **13"- 43"** **45 kg** **VESA** **200x200** **ULTRA SLIM**
 33 - 109 cm 19.5 mm from wall

WALL MOUNTS



BL-3744F FIXED WALL MOUNT BUDGET LINE

Suggested Screen Size: 32" - 75" / 81 cm - 191 cm

Rated Load: 45 kg / 99 lb

VESA: 200x200, 200x300, 300x200, 200x400,
400x200, 300x300, 300x400, 400x300,
400x400

Distance from the wall: 22 mm


Material: Steel

Surface Finish: Powder coating

Color: Black


Product Size (mm): 445 x 420 x 22

Installation: Solid wall, Double stud




CPLB-28S FULL MOTION CEILING MOUNT

Suggested Screen Size:
23" - 43" / 58 cm - 109 cm
Rated Load: 30 kg / 66 lb
VESA: 75x75, 100x100,
200x100, 200x200
Adjustable height:
608 mm - 858 mm
Tilt: +20° to -20°
Rotation: +90° to -90°
Surface Finish:
Powder coating
Material: Steel
Color: Black
Product Size (mm):
138 x 160 x 968
Installation: Ceiling
Cable management



CPLB-9441 FULL MOTION MOUNT FOR SLOPED CEILINGS

Suggested Screen Size:
32" - 70" / 81 cm - 178 cm
Rated Load: 50 kg / 110 lb
VESA: 100x100, 100x200, 200x100,
200x200, 300x200, 400x200,
300x300, 400x300, 400x400
Adjustable height: 707 mm - 1577 mm
Tilt: 5° to -25°
Rotation: 30° to -30°
Surface Finish: Powder coating
Material: Steel, Plastic
Color: Black
Product Size (mm): 1792 x 450 x 185
Installation: Ceiling / Sloped ceiling
(+60° to -60° angle)
Cable management



**FULL
MOTION**

23"- 43"
58 - 109 cm

KG
30 kg

VESA
200x200

**FULL
MOTION**

32"- 70"
94 - 203 cm


KG
50 kg

VESA
400x400

**SLOPE
CEILINGS**

CPLB-M0748 MOTORISED FULL MOTION CEILING MOUNT

Fit Screen Size: 43"-86"
Weight Capacity: 45 kg / 99 lb
Max. Mounting Hole: 800x400
Tilt Range: 0~-80°
Screen Level: +2°~-2°
Profile: 130 mm
Material: Steel, Plastic, Aluminum
Surface Finish: Powder Coating
Color: Matte Black
Dimensions: 771 x 864 x 496 mm
Cable Management: Yes
Power Supply:
Input: AC 100~240V, 50/60Hz;
Output: DC 29V, 1A
Power Cord Length: 1.8 m
Controller Type: Application Control,
Radio Frequency (RF) Remote
Installation: Ceiling / Sloped ceiling



**FULL
MOTION**

43"- 86"
109 - 218 cm

KG
45 kg


VESA
800x400

**SLOPE
CEILINGS**

EL. MOTOR

LCD-351/1-2 FULL MOTION DESK MOUNT


Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 9 kg / 19.8 lb
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Portrait to Landscape orientation
 Height: 407 mm (Max)
 Arm extension: 200 mm
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 116 x 308 x 561
 Cable management



FULL MOTION **17" - 32"** **9 kg** **VESA** **100x100**
 43 - 81 cm

LCD-352/2-2 FULL MOTION DESK MOUNT


Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 x 9 kg / 2 x 19.8 lb
 (18 kg / 39.6 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Portrait to Landscape orientation
 Height: 407 mm (Max)
 Arm extension: 376 mm
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 2
 Product Size (mm): 869 x 112 x 561
 Cable management



FULL MOTION **17" - 32"** **2x9 kg** **VESA** **100x100**
 43 - 81 cm

LCD-352/3-2 FULL MOTION DESK MOUNT



Suggested Screen Size: 17" - 27" / 43 cm - 69 cm
 Rated Load: 3 x 7 kg / 3 x 15.4 lb (21 kg / 46.3 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Portrait to Landscape orientation
 Height: 407 mm (Max)
 Arm extension: 658 mm
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: Black
 Screen Qty: 3
 Product Size (mm): 1433 x 550 x 141
 Cable management



FULL MOTION **17" - 27"** **3x7 kg** **VESA** **100x100**
 43 - 69 cm

LCD-352/4-2 FULL MOTION DESK MOUNT



Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 4 x 9 kg / 4 x 19.8 lb (36 kg / 79.4 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90° to -90°
 Rotation: +180° to -180°
 Arm extension: 376 mm
 Height: 803 mm (Max)
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 4
 Product Size (mm): 869 x 112 x 957
 Cable management



FULL MOTION **17"- 32"** **4x9 kg** **VESA**
 43 - 81 cm 100x100

LCD-352/6-2 FULL MOTION DESK MOUNT



Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 6 x 7 kg / 6 x 15.4 lb (42 kg / 92.6 lb Total)
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +15° to -15°
 Rotation: +180° to -180°
 Arm extension: 756 mm
 Height: 860 mm (Max)
 Surface Finish: Powder coating
 Material: Steel, Plastic, Aluminum
 Color: Black
 Screen Qty: 6
 Product Size (mm): 1626 x 200 x 990
 Cable management



FULL MOTION **17"- 32"** **6x7 kg** **VESA**
 43 - 81 cm 100x100

LCD-LM01-2 DESK MOUNT FOR MONITOR AND LAPTOP OR KEYBOARD


Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 13 kg / 28.6 lb
 VESA: 75x75, 100x100
 Tilt: +45° to -45°
 Swivel: +90 to -90°
 Rotation: +180 to -180°
 Surface Finish: Powder coating
 Material: Steel
 Color: Black
 Product Size (mm): 959 x 319 x 561
 Cable management
 Detachable laptop / keyboard panel
 Installation: Clamp + Grommet



FULL MOTION **17"- 32"** **13 kg** **VESA**
 43 - 81 cm 100x100

LCD-S012-2 GAS SPRING DESKTOP MOUNT FOR 1 MONITOR


Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 - 9 kg / 4.4 - 19.8 lb (Adjustable)
 VESA: 75x75, 100x100
 Tilt: 90° to -90°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 450 mm
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 117 x 480 x 570
 Cable management
 Installation: Clamp + Grommet



FULL MOTION 17" - 32" 2-9 kg VESA 100x100 GAS SPRING

LCD-S024-2 GAS SPRING DESKTOP MOUNT FOR 2 MONITORS



Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 x 2 - 9 kg / 2 x 4.4 - 19.8 lb (Adjustable)
 (4 - 18 kg / 8.8 - 39.6 lb Total)
 VESA: 75x75, 100x100
 Tilt: 90° to -90°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 450 mm
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: Black
 Screen Qty: 2
 Product Size (mm): 937 x 105 x 570
 Cable management
 Installation: Clamp + Grommet



FULL MOTION 17" - 32" 2x 2-9 kg VESA 100x100 GAS SPRING

LCD-C49 GAS SPRING DESKTOP MOUNT FOR 1 XL MONITOR


Suggested Screen Size: 17" - 49" / 43 cm - 124 cm
 Rated Load: 2 - 20 kg / 4.4 - 44 lb (Adjustable)
 VESA: 75x75, 100x100
 Tilt: 50° to -20°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 545 mm
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 134 x 625 x 663
 Cable management
 Installation: Clamp + Grommet



FULL MOTION 17" - 49" 2-20 kg VESA 100x100 GAS SPRING


LCD-F012-2 FREESTANDING MOUNT FOR 1 MONITOR

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 9 kg / 19.8 lb
 VESA: 75x75, 100x100
 Tilt: 45° to -45°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 1
 Product Size (mm): 390 x 280 x 454
 Cable management




LCD-F024-2 FREESTANDING MOUNT FOR 2 MONITORS

Suggested Screen Size: 17" - 32" / 43 cm - 81 cm
 Rated Load: 2 x 9 kg / 2 x 19.8 lb (18 kg / 39.6 lb Total)
 VESA: 75x75, 100x100
 Tilt: 45° to -45°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 376 mm
 Height: 420 mm (Max)
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 2
 Product Size (mm): 869 x 280 x 454
 Cable management



LCD-F048-2 FREESTANDING MOUNT FOR 4 MONITORS

Suggested Screen Size: 17" - 32" / 43 cm - 82 cm
 Rated Load: 4 x 9 kg / 4 x 19.8 lb (36 kg / 79.4 lb Total)
 VESA: 75x75, 100x100
 Tilt: 45° to -45°
 Swivel: 90° to -90°
 Rotation: 180° to -180°
 Arm extension: 376 mm
 Height: 815 mm (Max)
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Screen Qty: 4
 Product Size (mm): 869 x 280 x 850
 Cable management



DS-610 DESKTOP MONITOR/ NOTEBOOK RISER

Suggested Screen Size: Universal
 Rated Load: 20 kg / 44 lb
 Material: Glass, Aluminum, Steel, Plastic
 Color: White
 Product Size (mm): 560 x 210 x 80
 Glass thickness: 5 mm (0.2")
 Layer Qty: 1
 Silicon Pads




FULL MOTION **UNIVERSAL** **20 kg**

VESA-V2 ADAPTER

Vesa adapter allows you to mount screens with bigger VESA standard on VESA 100x100 or VESA 200x200 stands.

Fit Screen Size: 32" - 55" / 81 cm - 140 cm
 Rated Load: 30 kg / 66 lb
 VESA: 75x75, 100x100
 Material: Steel
 Surface Finish: Powder Coating
 Color: Black
 Dimensions (mm): 165 x 24



32" - 55"
81 - 140 cm **30 kg** **VESA**
100x100

NON-VESA ADAPTER

Multiple configuration options make it easy to mount NON VESA monitors on Desktop mounts.

Supports most LCD Monitors between 13" and 27" (33 cm - 69 cm)
 Weight capacity: up to 8 kg.

The package contains all the hardware for mounting the adapter to your monitor.




13" - 27"
33 - 69 cm **8 kg**



SB-20 SPEAKER WALL MOUNT

One pair / 2 pcs.
 Weight capacity: up to 3.5 kg / 7.7 lb per stand
 Distance from wall: 142 mm
 Tilt: +90° to -90°
 Rotation: +180° to -180°
 Installation: Double Hole Slot, Single Hole Slot
 Material: Plastic
 Color: Black



**FULL
MOTION**

KG
3.5 kg

SB-76M SPEAKER FLOOR STAND

Product Category: Speaker Floor Stand
 Material: Tempered Glass, Steel, Plastic
 Glass Thickness (Top-Bottom): 8 mm
 Surface Finish: Powder Coating
 Color: Fine Texture Black
 Dimensions: 300 x 300 x 610 mm x2
 Weight Capacity: 25 kg / 55 lb
 Installation: Freestanding
 Cable Management: Yes



KG
25 kg



SB-76L SPEAKER FLOOR STAND

Product Category: Speaker Floor Stand
 Material: Tempered Glass, Steel, Plastic
 Glass Thickness (Top-Bottom): 8 mm
 Surface Finish: Powder Coating
 Color: Fine Texture Black
 Dimensions: 300 x 300 x 765 mm x2
 Weight Capacity: 25 kg / 55 lb
 Installation: Freestanding
 Cable Management: Yes




KG
25 kg



SB-41 SOUNDBAR SPEAKER MOUNT


Type: soundbar bracket
 Weight capacity: 15 kg / 33 lb
 Material: Steel
 Dimensions: 11 x 35 x 510 mm x2



KG
15 kg

FS-305-2 FLOOR LED TV STAND

Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 40 kg / 88 lb
 VESA: 200x200,300x200,400x200,300x300,
 400x300,400x400,600x400
 Adjustable height: 360mm / 405 mm /
 455 mm / 505 mm / 550 mm
 Material: Steel, plastic, Tempered glass
 Finish: Powder Coating
 Color: Black
 Dimension (mm): 640 x 280 x 770
 Glass Base
 Glass thickness: 8 mm (0.31")
 Cable Management



FIXED


37" - 70"
94 - 178 cm

40 kg

VESA
600x400

FS-1246 FLOOR TRIPOD LED TV STAND

Suggested Screen Size: 45" - 65" / 114 cm - 178 cm
 Rated Load: 32 kg / 70.4 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400
 Rotation: +180° to -180°
 Material: Steel, Aluminum, Plastic, Beech
 Color: Matte Black & Walnut
 Tripod stand



FIXED


45" - 65"
114 - 165 cm

32 kg

VESA
600x400

FST-846 FLOOR TRIPOD LED TV STAND

Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 35 kg / 77 lb
 VESA: 200x200, 300x300, 400x200,
 400x400, 600x400
 Tilt: 0° to -8°
 Material: Steel, Plastic
 Color: Black
 Adjustable height: 1240 mm - 1880 mm
 Tripod stand



TILT


37" - 70"
94 - 178 cm

35 kg

VESA
600x400

FS-224-2 TROLLEY FLOOR LED TV STAND


Suggested Screen Size: 32" - 55" / 81 cm - 140 cm
 Rated Load: 35 kg / 77 lb
 VESA: 100x100, 200x100, 200x200, 300x200,
 400x200, 300x300, 400x300, 400x400
 Tilt: +5° to -12°
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Adjustable height:
 1030 mm / 1110 mm / 1190 mm / 1270 mm /
 1350 mm / 1430 mm
 Product Size (mm): 720 x 607 x 1643
 DVD / AV Components Rack
 DVD / AV Rated Load: 5 kg / 11 lb
 Cable management
 Built-in Wheels



TILT 32"- 55" 35 kg VESA 400x400
 81 - 140 cm

FS-400-2 TROLLEY FLOOR LED TV STAND


Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 100x100, 200x100, 200x200,
 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400
 Tilt: +12° to -12°
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Adjustable height:
 1337 mm / 1391 mm / 1395 / 1445 mm
 Product Size (mm): 907 x 626 x 1654
 DVD / AV Components Rack
 DVD / AV Rated Load: 5 kg / 11 lb
 Cable management
 Built-in Wheels



TILT 37"- 70" 45 kg VESA 600x400
 94 - 178 cm

FS-401-2 TROLLEY FLOOR LED TV STAND


Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 45 kg / 99 lb
 VESA: 100x100, 200x100, 200x200,
 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400
 Tilt: +12° to -12°
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Adjustable height:
 1337mm / 1391 mm / 1395 / 1445 mm
 Product Size (mm): 907 x 626 x 2032
 DVD / AV Components Rack
 DVD / AV Rated Load: 5 kg / 11 lb
 Camera/Projector Rack
 Built-in Wheels



TILT 37"- 70" 45 kg VESA 600x400
 94 - 178 cm

FS-444 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 37"-86" / 94 cm - 218 cm
 Rated Load (Screen): 50 kg / 110 lb
 VESA: 200x200, 300x200, 400x200, 300x300, 400x300, 400x400, 600x400
 Tilt: +5° to -10°
 Screen rotation: 0° ~ -90°
 Adjustable height: 1200 mm - 1600 mm
 Material: Aluminum, Steel, Plastic
 Color: Grey / Black
 Dimension (mm): 848 x 610 x 1420/1820
 DVD / AV Components Rack
 Rated Load (DVD): 5 kg / 11 lb
 Cable Management
 Built-in wheels




37" - 86"
94 - 218 cm

50 kg

VESA
600x400

FS-500 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 37"-70" / 94 cm - 178 cm
 Rated Load (Screen): 40 kg / 88 lb
 VESA: 200x200, 300x300, 400x200, 400x400, 600x400
 Screen rotation: 0° ~ -90°
 Adjustable height: 1200 mm - 1800 mm
 Material: Aluminum, Steel, Glass
 Color: Grey / Black
 Dimension (mm): 800 x 500 x 1200-2020
 DVD / AV Components Rack
 Rated Load (DVD): 5 kg / 11 lb
 Glass thickness: 6 mm (0.24")
 Cable Management
 Built-in wheels




37" - 70"
94 - 178 cm

40 kg

VESA
600x400

FS-446-2 TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 37" - 70" / 94 cm - 178 cm
 Rated Load: 70 kg / 154 lb
 VESA: 200x200, 300x300, 400x200, 400x300, 400x400, 600x400
 Tilt: +5° to -12°
 Screen Rotation: 0° to +90°
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: Black
 Adjustable height: 1250 mm - 1600 mm
 Product Size (mm): 772 x 648 x 2157
 DVD / AV Components Rack
 DVD / AV Rated Load: 5 kg / 11 lb
 Camera / Projector Rack
 Cable management
 Built-in Wheels



37" - 70"
94 - 178 cm


70 kg

VESA
600x400

SCREEN ROTATION

FS-1035 ULTRA-LARGE TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 37" - 100" / 94 cm - 254 cm
 Rated Load (Screen): 150 kg / 330 lb
 VESA: 200x200, 300x200, 400x200, 300x300,
 400x300, 400x400, 600x400, 800x400,
 800x600
 Adjustable height: 1085 mm / 1215 mm / 1345 mm /
 1410 mm / 1475 mm
 Surface Finish: Powder coating
 Material: Steel
 Color: Black
 Product Size (mm): 1050 x 570 x 1785
 DVD / AV Components Rack
 - Rated Load: 20 kg / 44 lb
 Built-in wheels




FIXED **37" - 100"**
152 - 254 cm

150 kg

VESA
800x600

FS-3610 ULTRA-LARGE TROLLEY FLOOR LED TV STAND

Suggested Screen Size: 60" - 100" / 94 cm - 254 cm
 Rated Load (Screen): 100 kg / 220 lb
 VESA: 200x200, 300x300, 400x200, 400x400,
 600x400, 800x400, 800x600, 1000x600
 Tilt: +5° to -10°
 Adjustable height: 1340 mm - 1660 mm
 Surface Finish: Powder coating
 Material: Steel, Plastic
 Color: Black
 Product Size (mm): 1350 x 683 x 2325
 DVD / AV Components Rack
 - Rated Load: 5 kg / 11 lb
 Camera / Projector Rack
 - Rated Load: 5 kg / 11 lb
 Cable Management
 Built-in wheels




TILT **60" - 100"**
152 - 254 cm

100 kg

VESA
1000x600

DFS-101-2 DISPLAY RACK

Color: Black
 Material: Steel
 Dimensions (mm): 200 x 80 x 50




FIXED

MD-112

1 MOTOR UP/DOWN DESK FRAME

Material: aluminum, plastic, steel
 Dimensions: 895 x 555 x 710 ~ 1160 mm
 Tabletop size: 1200 x 600~700mm
 Tabletop thickness: ≥15 mm
 Weight capacity: 50 kg
 Height Range: 710~1160 mm
 Column Size: 40x60, 45x65
 Frame Color: matte black
 Motor Quantity: 1
 Power Input: 100~240V
 Power Cord Length: 1.8 m
 Max. Speed: 15 mm/s
 Controller Type: button control panel
 Suggested Operating Temperature: -5 °C~40°C
 IP Grade: IP20



50 kg **ADJUSTABLE**
HEIGHT

3 Programmable Height Memory Presets


MD-142

1 MOTOR UP/DOWN DESK FRAME

Material: aluminum, plastic, steel
 Dimensions: 1060 x 576 x 710 ~ 1160 mm
 Tabletop size: 1100~1400 x 600~700 mm
 Tabletop thickness: ≥18 mm
 Weight capacity: 80 kg
 Height Range: 710~1160 mm
 Column Size: 40x70, 45x75
 Frame Color: matte black or matte white
 Motor Quantity: 1
 Power Input: 100~240V
 Power Cord Length: 1.8 m
 Max. Speed: 25 mm/s
 Controller Type: button control panel
 Suggested Operating Temperature: -5 °C ~40 °C
 IP Grade: IP20



80 kg **ADJUSTABLE**
HEIGHT




3 Programmable Height Memory Presets

MD-622

1 MOTOR UP/DOWN DESK FRAME

Material: Steel, Aluminum, Plastic
 Color: Black
 Tabletop Thickness: >2.5 cm (>0.98")
 Tabletop Size: (1000 - 1600) x (730 - 1230) mm
 ((33.1" - 51.2") x (25.6"x28.7" - 48.4"))
 Adjustable height: 730 - 1230 mm (28.7" - 48.4")
 Width Range: 840 - 1300 mm (33.1" - 51.2")
 Input: 100V - 240V
 Operating Temperature: -5 °C to +40 °C
 Max. rated load: 70 kg (154 lb)
 Max. Speed: 28 mm/s
 Control Type: Button control panel
 Motor Qty: 1
 IP Grade: 20




KG
70 kg **ADJUSTABLE**
 HEIGHT

MD-722

1 MOTOR UP/DOWN DESK FRAME

Material: aluminum, plastic, steel
 Dimensions: 1060 x 576 x 710~1160mm
 Tabletop size: (1100~1400) x (600~700)mm
 Tabletop Thickness: >1.8 cm (>0.71")
 Weight capacity: 80 kg
 Height Range: 710~1160 mm
 Column Size: 70 x 40, 75 x 45
 Frame Color: matte black
 Motor Quantity: 1
 Power Input: 100~240V
 Power Cord Length: 1.8 m
 Max. Speed: 25 mm/s
 Controller Type: button control panel
 Suggested Operating Temperature: -5 °C ~ 40 °C
 IP Grade: IP20



KG
80 kg **ADJUSTABLE**
 HEIGHT

ACCESSORIES

SIT-STAND MANUAL DESK


All SBOX mounts come in original box package with a pack of screws, anchors and washers labeled with letters, and matching instructions for easy installation. They are adapted for easy and safe installation. Follow the steps in the instruction manual and your TV will be safely installed. In case of any misunderstanding regarding installation please contact us: info@sbox.biz

All SBOX Mounts come in trendy design packaging as shown in the picture below



CC-1016 SCREW-ON CABLE MANAGEMENT SPINE

Material: ABS Plastic, Steel
Surface finish: Powder coating
Dimensions: 99.4 x 99.4 x 1292 mm
Color: Black or White



TP-12060R

TABLETOP - WHITE

Material: Particle Board
Tabletop Size: 1200 x 600 x 18 mm
Color: Black



TP-14070R

TABLETOP - NATURAL WOOD


Material: Particle Board
Tabletop Size: 1400 x 700 x 18 mm
Color: Black



TP-14070R

TABLETOP - BLACK

Material: Particle Board
Tabletop Size: 1400 x 700 x 18 mm
Color: Black



TP-12060R

TABLETOP - NATURAL WOOD

Material: Particle Board
Tabletop Size: 1200 x 600 x 18 mm
Color: Natural wood



TP-18075

TABLETOP - BLACK

Material: Particle Board
Tabletop Size: 1400 x 750 x 18 mm
Color: Black



TP-12060D

TABLETOP WITH DRAWER - BLACK

Material: Particle Board, Steel, Plastic
Tabletop Size: 1200 x 600 x 16 mm
Color: Black



TP-14070D

TABLETOP WITH DRAWER - BLACK

Material: Particle Board, Steel, Plastic
Tabletop Size: 1380 x 680 x 16 mm
Color: Black



TP-14070D

TABLETOP WITH DRAWER - NATURAL WOOD

Material: Particle Board, Steel, Plastic
Tabletop Size: 1380 x 680 x 16 mm
Color: Natural wood




PROJECTOR MOUNTS AND SCREENS

Cinema experience – anywhere. Turn any space into a home theater with SBOX projector mounts and screens. Quick setup. Sharp image. Total immersion.



PM-18 PROJECTOR MOUNT FOR SLOPED CEILINGS

Rated Load: 13.5 kg / 29.7 lb
 Tilt: +15° to -15°
 Swivel: +15° to -15°
 Rotation: 360°
 Mounting hole distance: 54 mm - 320 mm
 Distance from the ceiling: 150 mm
 Surface Finish: Powder coating
 Material: Steel
 Color: White
 Product Size (mm): 334 x 334 x 150
 Installation: Ceiling
 Cable management



**FULL
MOTION**



KG
13.5 kg

Ø
320 mm
MAX

150 mm

PM-18S PROJECTOR MOUNT FOR SLOPED CEILINGS

Rated Load: 13.5 kg / 29.7 lb
 Tilt: +15° to -15°
 Swivel: +15° to -15°
 Rotation: 360°
 Mounting hole distance: 54 mm - 320 mm
 Distance from the ceiling: 380 mm - 580 mm
 Surface Finish: Powder coating
 Material: Steel, Aluminum, Plastic
 Color: White
 Product Size (mm): 334 x 580 x 334
 Installation: Ceiling
 Cable management



**FULL
MOTION**


KG
13.5 kg

Ø
320 mm
MAX

380 - 580 mm

PM-18M PROJECTOR CEILING MOUNT

Rated Load: 20 kg / 44 lb
 Tilt: +15° to -15°
 Swivel: +10° to -10°
 Mounting hole distance: 225 mm - 316 mm
 Distance from the ceiling: 430 mm - 650 mm
 Surface Finish: Powder coating
 Material: Steel
 Color: Black
 Product Size (mm): 237 x 203 x 650
 Installation: Ceiling
 Cable management



**FULL
MOTION**

KG
20 kg

Ø
316 mm
MAX

430 - 650 mm

PROJECTOR MOUNTS



PM-200XL PROJECTOR CEILING MOUNT

Rated Load: 15 kg / 33 lb

Tilt: +15° to -15°

Rotation: 360°

Mounting hole distance: 336 mm (Max)

Distance from the ceiling: 1100 mm - 1970 mm

Surface finish: Matte


Material: Steel, Aluminum

Color: Silver

Product Size (mm): 338 x 1970 x 338

Installation: Ceiling

Cable management



**FULL
MOTION**


15 kg



336 mm
MAX


1100 - 1970
mm



PFS-2 FLOOR TROLLEY PROJECTOR STAND


Height Adjustable Projector Trolley
 Rated Load: up to 10 kg / 22 lb
 Adjustable height: 772 mm / 872 mm
 Product Size (mm): 772 x 572 x 772~872
 Material: MDF (Medium-density fiber board),
 PVC, Steel
 Surface Finish: Powder coating



10 kg


PTM-03 POS SWIVEL MOUNT FOR VX520 TERMINAL

Installable POS Machine:
 Verifone® VX520 Terminal
 Panel Dimensions (mm): 179 x 86 x 27
 Tilt: +45° ~ -45°
 Swivel: +180° ~ -180°
 Profile: 176 mm



PTM-05 UNIVERSAL POS SWIVEL MOUNT

Installable POS Machine: Universal
 Panel Dimensions:
 166 mm x (70 mm - 110 mm)
 Tilt: +45° ~ -45°
 Swivel: +180° ~ -180°
 Profile: 175 mm



PTM-02S

UNIVERSAL MOUNT FOR POS / MONITOR & PRINTER

Screen size: 17" - 32" / 43 - 81 cm screen

Weight capacity: 9 kg / 19.8 lb

VESA: 75x75, 100x100

Tilt: +45° ~ -45°


Swivel: +90° ~ -90°

Screen rotation: +180° ~ -180°

Material: Steel, Aluminum, Plastic

POS Dimensions (mm): 70-110 x 116

POS Printer Dimensions (mm): 112-160 x 158



MANUAL PROJECTOR SCREENS

PSM-100-2


Diagonal: 100"/ 254 cm
 Viewing size: 180 x 180 cm
 Picture formats: 16:9, 4:3, 1:1
 Screen thickness: 0.4 mm +/-2%
 Black edge - top: 5 cm
 Black edge - bottom: 4 cm
 Black edge - side: 3 cm
 Gain: 1:1
 Viewing angle: 160 Degrees
 Case color: Matte white
 Case material: Steel

PSM-112-2

Diagonal: 112"/ 284 cm
 Viewing size: 200 x 200 cm
 Picture formats: 16:9, 4:3, 1:1
 Screen thickness: 0.4 mm +/-2%
 Black edge - top: 5 cm
 Black edge - bottom: 4 cm
 Black edge - side: 3 cm
 Gain: 1:1
 Viewing angle: 160 Degrees
 Case color: Matte white
 Case material: Steel

PSM-118-2

Diagonal: 118"/ 300 cm
 Viewing size: 213 x 213 cm
 Picture formats: 16:9, 4:3, 1:1
 Screen thickness: 0.4 mm +/-2%
 Black edge - top: 5 cm
 Black edge - bottom: 4 cm
 Black edge - side: 3 cm
 Gain: 1:1
 Viewing angle: 160 Degrees
 Case color: Matte white
 Case material: Steel



AUTOMATIC PROJECTOR SCREENS WITH A MOTOR

PSA-112-2

Diagonal: 112" / 284 cm
 Viewing Size: 200 cm x 200 cm
 Picture formats: 16:9, 4:3, 1:1
 Top edge: 5 cm
 Bottom edge: 4 cm
 Side edges: 3 cm
 Gain: 1.0
 Viewing Angle: 160°
 Screen Material: Fiberglass Screen
 Screen Color: Matte White
 Case material: Steel



MANUAL PROJECTOR SCREENS WITH A TRIPOD STAND

PSMT-96-2


Screen size: 96"/ 244 cm
 Viewing Size: 172 cm x 172 cm
 Picture formats: 16:9, 4:3, 1:1
 Top edge: 5 cm
 Bottom edge: 4 cm
 Side edges: 3 cm
 Gain: 1.0
 Viewing Angle: 160°
 Screen Material: Fiberglass Screen
 Screen Color: Matte White Screen
 Case Material: Steel

PSMT-112-2

Screen size: 112"/ 284 cm
 Viewing Size: 200 cm x 200 cm
 Picture formats: 16:9, 4:3, 1:1
 Top edge: 5 cm
 Bottom edge: 4 cm
 Side edges: 3 cm
 Gain: 1.0
 Viewing Angle: 160°
 Screen Material: Fiberglass Screen
 Screen Color: Matte White Screen
 Case Material: Steel

PSMT-135-2

Screen size: 135"/ 343 cm
 Viewing Size: 240 cm x 240 cm
 Picture formats: 16:9, 4:3, 1:1
 Top edge: 5 cm
 Bottom edge: 4 cm
 Side edges: 3 cm
 Gain: 1.0
 Viewing Angle: 160°
 Screen Material: Fiberglass Screen
 Screen Color: Matte White Screen
 Case Material: Steel



4:3 FORMAT MANUAL PROJECTOR SCREENS PSM 4:3-100-2 PSM 4:3-120-2

Diagonal: 100"/ 254 cm
Viewing size: 200 x 150 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 5 cm
Black edge - bottom: 4 cm
Black edge - side: 3 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel


Diagonal: 120"/ 305 cm
Viewing size: 240 x 180 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 6 cm
Black edge - bottom: 4 cm
Black edge - side: 4 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel



MANUAL
4:3

100"
200x150 cm

120"
240x180 cm



4:3 FORMAT AUTOMATIC PROJECTOR SCREENS WITH A MOTOR PSA 4:3-100-2 PSA 4:3-120-2

Diagonal: 100"/ 254 cm
Viewing size: 200 x 150 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 6 cm
Black edge - bottom: 4 cm
Black edge - side: 4 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel

Diagonal: 120"/ 305 cm
Viewing size: 240 x 180 cm
Picture format: 4:3
Screen thickness: 0.4 mm +/-2%
Black edge - top: 6 cm
Black edge - bottom: 4 cm
Black edge - side: 4 cm
Gain: 1:1
Viewing angle: 160°
Case color: Matte white
Case material: Steel




AUTOMATIC
4:3

100"
200x150 cm

120"
240x180 cm

ELECTRIC
MOTOR

REMOTE
CONTROL



REMOTE CONTROLS

Always in control. SBOX remotes are simple, reliable, and work with all major devices. One click and you're in charge.



HISENSE

Product ID: RC-01405
 For HISENSE TV
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



LG

Product ID: RC-01403
 For LG TV
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



PHILIPS

Product ID: RC-01404
 For PHILIPS TV
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



GRUNDIG

Product ID: RC-01407
 For GRUNDIG TV
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



SAMSUNG

Product ID: RC-01401
 For SAMSUNG TV
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



SONY

Product ID: RC-01402
 For SONY TV
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



TCL

Product ID: RC-01406
 For TCL TV
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



UNIVERSAL

Product ID: RC-01400
 For TV/SAT/DVD/BD
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



AIRCON

Product ID: RC-01408
 For Air Conditioner
 Receiving distance: ~ 8 m
 Power: 2x AAA batteries
 (not included)



BAGS & BACKPACKS

Ready for every day. Sleek, lightweight and practical - SBOX bags are made for work, travel, or play. Everything you need, always with you.



NEW YORK NLS-3015 NOTEBOOK BAG

For laptops up to 15.6"
Colors: Black, Navy blue & Bordeaux
Dimensions (mm): 430 x 330 x 60
Material: 600D Nylon

1 main compartment with notebook place with secure strap, inside mesh compartment for accessories, front pocket with Velcro
Notebook safety belt
Shoulder strap belt



15.6"

HONG KONG NSE-2022 NOTEBOOK BAG

For laptops up to 15.6" or 17.3"
Color: Black
15.6" Dimensions (mm): 425 x 320 x 70
17.3" Dimensions (mm): 460 x 340 x 70
Material: 600D Nylon

One padded zipper compartment
One zipper external compartment
Notebook safety belt
Shoulder strap belt



17.3"



15.6"

WALL STREET NSS-88120 NOTEBOOK BAG

For laptops up to 17.3"
Color: Black
Dimensions (mm): 465 x 375 x 70
Material: 600D Polyester
One padded zipper compartment
One Velcro compartment on the front side
One zipper pocket on the back side
Notebook safety belt
Shoulder strap belt



17.3"

NOTEBOOK BAGS



BARCELONA

NSS-00209 NOTEBOOK BACKPACK

For laptops up to 18"

Color: Black

Dimensions (mm): 310 x 440 x 130

Material: High quality nylon
210D Polyester

One main compartment with zipper
Two side compartments for bottle/umbrella
Two additional compartments on the front
Internal compartment for Notebook



17.0"

BOSTON

NSS-19056 NOTEBOOK BACKPACK

For laptops up to 15.6"

Color: Black

Dimensions (mm): 330 x 430 x 120

Material: Nylon 600D,
Diamond-check Polyester

Two padded zipper compartments
One zipper pocket on the front side
Two mesh compartments on both
sides



15.6"

TORONTO

NSS-19044 NOTEBOOK BACKPACK

For laptops up to 15.6"

Colors: Black, Navy blue or Pink

Dimensions (mm): 320 x 450 x 80

Material: 600D Polyester

Two padded zipper compartments
One zipper pocket on the front side
Two mesh compartments on both sides



15.6"

TEXAS

NSS-19072 NOTEBOOK BACKPACK

For laptops up to 17,3"

Colors: Black

Dimensions (mm): 370 x 500 x 120

Material: New Polyester

Two separate zipper compartments
Multiple inside pockets for accessories
Two zipper pockets on the front side
Two zipper pockets on both sides



DUBAI

NSE-1206 NOTEBOOK BACKPACK

For laptops up to 15.6"

Colors: Black, Purple, Pink, Yellow or Orange

Dimensions (mm): 280 x 430 x 130

Material: Ripstop



AMSTERDAM

NSS-00280 NOTEBOOK BACKPACK

For laptops up to 18.0"

Colors: Grey/black

Dimensions (mm): 330 x 460 x 130

Material: High quality nylon
210D Polyester

One main compartment with zipper
Three additional compartments on the front
Two side mesh pockets for bottle/umbrella
Internal compartment for Notebook
USB output for charger on the outside of the backpack



VALENCIA

NSS-00276 NOTEBOOK BACKPACK

For laptops up to 18"

Colors: Black

Dimensions (mm): 355 x 460 x 120

Material: High quality nylon
210D Polyester

One main compartment with zipper
Three additional compartments on the front
Two side mesh pockets for bottle/umbrella
Internal compartment for Notebook



HAVANA

NSS-2453 NOTEBOOK BACKPACK

For laptops up to 15,6"

Colors: Black

Dimensions (mm): 315 x 420 x 190

Material: Laminated material
210D Polyester



CASABLANCA

NSS-19160 NOTEBOOK BACKPACK

For laptops up to 15.6"

Colors: Black

Dimensions (mm): 440 x 310 x 100

Material: 900D Polyester

One main compartment with zipper
Laptop pocket and additional compartments
Additional compartment on the back
External USB power bank port



NOTEBOOK BAGS



JAKARTA

NSS-19368B NOTEBOOK BACKPACK

For laptops up to 15.6"

Colors: Black, Orange, Beige or Bordeaux

Dimensions (mm): 300 x 450 x 125

Material: 300D Polyester





CLEANERS

Always clean. Always clear. SBOX screen cleaners remove dust and smudges - alcohol-free and safe for all devices. Crystal-clear results, every time.

CS-02 CLEANING SPRAY

Screen cleaner with a microfiber cloth
For TV, LCD, PC, Notebook, Mobile phones, Tablet screens,
Camera and Glasses
Antistatic, Alcohol-free, Bio-degradable, Non-flammable
Cloth Size: 20 cm x 20 cm
Bottle Content: 200 ml



200 ml

CS-5005 CLEANING SPRAY

Screen cleaner with a microfiber cloth
Colors: Violet, Green, Blue & Pink
For TV, LCD, PC, Notebook, Mobile phones,
tablet screens, Camera and Glasses
Antistatic, Alcohol-free, Bio-degradable,
Non-flammable
Cloth Size: Ø15 cm
Bottle Content: 150 ml



150 ml

CS-08 WET CLEANING WIPES

Wet wipes for cleaning TVs, monitors, smartphones, digital cameras, glasses, etc.
Anti-static, Non-alcoholic, Bio-degradable, Non-flammable
Contents: 100 pcs
Flavor: Neutral
Wipe dimensions: 16 cm x 14 cm



100
pcs.

CS-400 COMPRESSED AIR

Compressed air for blowing dust
For keyboards, laptops, printers, etc.
Content: 400 ml



400 ml



COMPUTER ACCESSORIES

Accessories that work for you. From mice and keyboards to speakers and headsets - SBOX enhances your setup for work or play. Simple. Effective. Enjoyable.



M-901
USB MOUSE

Mouse Type: 3D
Resolution: 1000 DPI
Interface: USB 2.0
Hand orientation: Left & Right
Sensor Type: Optical
Material: ABS plastic
Cable length: 150 cm
Colors: Black, Red, Blue Yellow & White
Dimensions (mm): 110 x 63 x 38.5
Compatible with:
Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **USB**
2.0  **OPTICAL**
SENSOR **3**
BUTTONS **1000**
DPI

M-958
USB MOUSE

Mouse Type: 3D
Resolution: 1000 DPI
Interface: USB 2.0
Hand orientation: Left & Right
Sensor Type: Optical
Material: ABS plastic
Cable length: 150 cm
Colors: Black, Red & Blue
Dimensions (mm): 114 x 63,8 x 41
Compatible with:
Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **USB**
2.0  **OPTICAL**
SENSOR **3**
BUTTONS **1000**
DPI

WM-109
WIRELESS MOUSE

3D Wireless optical mouse
Resolution: 1000 DPI
Rubber coating finish
Working distance: 10 meters
Hand orientation: Left & Right
Advanced optical engine
Lifetime: over 3 million clicks
Dimensions (mm): 103 x 66 x 38 mm
Battery: 2x 1.5V AAA (Included in package)
Weight: 57 g
Color: Black, Red & Blue
Compatible with:
Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **WIFI**
2.4 GHz  **OPTICAL**
SENSOR **3**
BUTTONS **1000**
DPI

WM-993
WIRELESS MOUSE

6D Wireless optical mouse
Resolution: 800 / 1200 / 1600 DPI
Rubber coating finish
Working distance: 10 meters
Advanced optical engine
Lifetime: over 3 million clicks
Dimensions (mm): 108 x 66 x 38 mm
Battery: 2x 1.5V AAA (Included in package)
Color: Black, Silver, Pink, Blue & Red
Compatible with:
Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **WIFI**
2.4 GHz
  **OPTICAL**
SENSOR
 6
BUTTONS
 1600
DPI

WM-911
WIRELESS MOUSE

Button: 6 buttons
Operating frequency: 2402 MHz~2480 MHz (16 channels)
Changeable resolution: 800 / 1200 / 1600 DPI
Rubber coating finish
Working distance: 10 meters
Micro USB Receiver
Ergonomic design
Key life: over 3 million times
Dimensions (mm): 107 x 63.5 x 38.5
Battery: 1x 1.5V AA (Included in package)
Colors: Black, Red & Blue
Compatible with:
Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **WIFI**
2.4 GHz
  **OPTICAL**
SENSOR
 6
BUTTONS
 1600
DPI

WM-837
WIRELESS MOUSE

4D Wireless optical mouse
Resolution: 800 / 1200 / 1600 DPI
Working distance: 10 meters
Advanced optical engine
Lifetime: over 3 million clicks
Dimensions (mm): 108 x 66 x 37 mm
Battery: 2x 1.5V AAA (Included in package)
Color: Black or White
Compatible with:
Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS



 **WIFI**
2.4 GHz
  **OPTICAL**
SENSOR
 4
BUTTONS
 1600
DPI

WM-602
WIRELESS + BT MOUSE

4D Wireless + BT optical mouse
 Resolution: 800 / 1200 / 1600 DPI
 Polling rate: 125 Hz
 Working distance: 10 meters
 Silent L + R switches
 Lifetime: over 2 million clicks
 Colors: Black, White, Beige or Purple
 Size: 98 x 60 x 38 mm
 Charging cable: 30 cm USB A - C
 Battery: built-in Li 500 mAh
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS
 Weight: 66 g ±5 g



 **WIFI**
2.4 GHz
  **BLUETOOTH**
2.4 GHz
  **OPTICAL**
SENSOR
 4
BUTTONS
 1600
DPI

WM-308
WIRELESS + BT MOUSE

6D Wireless optical mouse
 Chipset: Pixart 3065
 Resolution: 800/1200/1600 DPI
 Polling rate: 250 Hz
 Track speed: 30 IPS
 Acceleration: 10 G
 Working distance: 10 meters
 Lifetime: over 5 million clicks
 Battery: Li-ion Polymer 300 mAh
 Compatible with:
 Windows 7 / 8 / 10 / 11 and Mac iOS
 Size: 130 x 66 x 42 mm
 Weight: 105 g
 Color: Black or White



 **WIFI**
2.4 GHz
  **OPTICAL**
SENSOR
 6
BUTTONS
 1600
DPI

WM-710
WIRELESS + BT MOUSE

6D Wireless + BT optical mouse
 Chipset: Instant 201C
 Resolution: 1200 / 2400 / 3200 DPI
 Polling rate: 125 Hz
 Working distance: 10 meters
 Lifetime: over 3 million clicks
 Color: Black, White or Pink
 Size: 90 x 60 x 36 mm
 Charging cable: 50 cm USB A - C
 Battery: built-in Li 300 mAh
 Compatible with:
 Win 7 / 8 / 10 / 11 and Mac OS
 Weight: 50 g ±5 g



 **MINI**
size
  **WIFI**
2.4 GHz
  **BLUETOOTH**
2.4 GHz
  **OPTICAL**
SENSOR
 6
BUTTONS
 3200
DPI

VM-065W


WIRELESS VERTICAL MOUSE

Button: 6 buttons
Changeable resolution: 800 / 1200 / 1600 DPI
Working frequency: 2.4 GHz
Range: 10 m
Micro USB Receiver
Ergonomic design
Rubber coating finish
Colors: Black
Key life: over 10 million times
Dimensions (mm): 120 x 63 x 75
Battery: 2x 1.5V AAA (Not included)
Compatible with:
Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS




ERGO
LINE


WIFI
2.4 GHz


OPTICAL
SENSOR

6
BUTTONS

1600
DPI



MOUSE PADS




MP-01 GEL MOUSE PAD

Thickness: 3 mm
Designed to work with optical and laser mice
Enables high-precision mouse movement
Ergonomic design
Anti-slippery bottom
Dimensions (mm): 230 x 190 x 20
Colors: Black, Red & Blue
Wrist support for maximum comfort



MP-03 MOUSE PAD

Thickness: 3 mm
High-precision mouse movement
Easy to clean surface
Anti-slippery bottom
Dimensions (mm): 300 x 250 x 3
Colors: Black, Red & Blue



K-14 USB KEYBOARD

104/105 keys (Depends on Layout)
 Lifespan: over 5 million times
 Color: Black
 HQ Membrane Key Switch
 Operating Voltage: 5 V / 100 mA
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS
 Dimensions (mm): 440 x 145 x 25
 Available keyboard layouts: Croatian, Serbian,
 Slovenian, Bosnian, Macedonian, Montenegro,
 US... Or any other on request.



 104/105
keys  USB
2.0

K-33 USB KEYBOARD

104/105 keys (Depends on Layout)
 Lifespan: over 5 million times
 Operating voltage: 5V
 Rated current: 10 mA
 Dimensions (mm): 458 x 158 x 19
 Weight: 590 g
 Cable length: 1,5 m
 Color: Black
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS
 Available keyboard layouts: Croatian, Serbian,
 Slovenian, Bosnian, Macedonian, Montenegro,
 US... Or any other on request.



 104/105
keys  USB
2.0

K-103 USB KEYBOARD

104/105 keys (Depends on Layout)
 Key life: over 5 mil. times
 Dimensions (mm): 435 x 164 x 27
 Weight: 465 g
 Cable length: 1.5 m PVC
 Color: Black
 Material: ABS plastic
 Compatible with Windows / 7 / 8.x / 10 / 11
 and MAC OS 10.5.1
 Available keyboard layouts: Croatian, Serbian,
 Slovenian, Bosnian, Macedonian, Montenegro,
 US... Or any other on request.



 104/105
keys  USB
2.0

K-123 USB KEYBOARD

USB Wired standard computer keyboard
 104 / 105 keys (depends on layout)
 Key life: over 10 mil. times
 Operating voltage: USB 5 V
 Rated current: 100 mA
 Dimensions (mm): 434 x 127 x 25
 Cable length: 1.5 m
 Weight: 385 g
 Color: black
 Compatible with Windows 7 / 8.x/10/11
 and MAC OS 10.5.1



104/105
keys USB
2.0

K-22 USB LED KEYBOARD

USB Wired standard computer keyboard
 104 / 105 keys (depends on layout)
 Key life: over 10 mil. times
 Illumination: LED white color
 Operating voltage: USB 5 V
 Rated current: 100 mA
 Dimensions (mm): 440 x 130 x 28
 Cable length: 1.5 m
 Weight: 417 g
 Color: black
 Compatible with Windows 7 / 8.x/10/11
 and MAC OS 10.5.1



104/105
keys USB
2.0 LED

WK-26 WIRELESS KEYBOARD

109/110 keys (Depends on Layout)
 Transmission mode: 2.4 GHz Wireless
 Working distance: 8 m
 Lifespan: over 8 million times
 Color: Black / Grey
 HQ Scissors Key Switch
 Operating Voltage: 1.5 V / 3 mA
 Power supply: 1x AAA battery
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS
 Dimensions (mm): 430 x 135 x 25.8
 Weight: 450 g
 Material: Plastic
 Available keyboard layouts: Croatian, Serbian,
 Slovenian, Bosnian, Macedonian, Montenegro,
 US... Or any other on request.



WIFI
2.4 GHz 109/110
keys SCISSOR
switches

WKM-22 WIRELESS COMBO

2.4 GHz Wireless keyboard + 3D mouse
100/101 keys (Depends on Layout)

Key life: over 5 million times
Dimensions keyboard (mm): 380 x 112 x 19

Dimensions mouse (mm): 99 x 59 x 30

Keyboard weight: 305 g

Mouse weight: 45 g

Mouse resolution: 1200 DPI

Material: plastic

Color: black/grey

Power supply:

2x AAA batteries for the mouse

2x AAA batteries for the Keyboard (not included)

Compatible with Windows /7 / 8.x /10 /11
and MAC OS 10.5.1

Available keyboard layouts: Croatian, Serbian,
Slovenian, Bosnian, Macedonian, Montenegro,
US... Or any other on request.



 **WIFI**
2.4 GHz

 **100/101**
keys

1200
DPI

BT-05S BLUETOOTH KEYBOARD

BT Version: V5.0

Keys: 78 keys

12 multimedia keys

Material: ABS plastic

Built-in battery: Lithium 300 mAh

Working voltage: 3 V

Working current: 1.2 mA

Working range: 8-10 m

Dimensions: 284 x 120 x 21 mm

Weight: 280 g

Color: Black/Silver

OS Support: Win 10 /11 / iOS / Android




 **BLUETOOTH**
5.0

 **78**
keys



CP-08 NOTEBOOK COOLING PAD

For 15.6" notebook
 Material: plastic
 Weight: 165 g
 Dimensions: 185 x 260 mm
 7 different height adjustments
 Angle: 15° - 45°




 15.6"

CP-19 NOTEBOOK COOLING PAD

For screen sizes up to 15.6"
 Fan size: 140 mm
 Fan speed: 800-1000 RPM ±10%
 Airflow: 47.35 CFM
 Noise level: 21 dBA
 Dimensions (mm): 330 x 250 x 27
 Blue LED Illumination





 15.6"

 **1 x FAN**
 140 mm

 **LED**
 illumination

CP-12 NOTEBOOK COOLING PAD

For screen sizes up to 17.3"
 Fan size: 130 mm
 Fan speed: 80-1200 RPM
 Airflow: 53 CFM
 Noise level: 15 dBA
 Angle adjustment: 5 positions (6.5° - 45°)
 USB HUB with 2 ports
 Dimensions (mm): 370 x 265 x 58-205
 Blue LED Illumination





 17.3"

 **2 x FAN**
 130 mm

 **LED**
 illumination

CP-101 NOTEBOOK COOLING PAD

For screen sizes up to 15.6"
 Fan size: 2x 140 mm
 Fan speed: 800 - 1000 RPM \pm 10%
 Airflow: 20 CFM
 Noise level: 20 dBA
 Angle adjustment: 5 positions (0°- 35°)
 USB HUB with 2 ports
 Dimensions (mm): 350 x 250 x 30-123
 Blue LED Illumination



15.6" 2 x FAN 140 mm LED illumination

CP-28 NOTEBOOK COOLING PAD


For screen sizes up to 17.3"
 Fan size: 1x 180 mm
 Product dimensions: 350 x 225 x 26 mm
 Fans speed: 300 - 800 \pm 10% RPM
 Bearing type: Sleeve
 Air Flow: 45 CFM (Max)
 Noise level: 22.65 dBA (Min)
 Rated Voltage: DC 5V (USB)
 8 Angles: 0° - 35°
 Functions: 2x USB + Fan speed control
 Material: Aluminum, Plastic
 Color: black
 Weight: 620 g



17.3" 1 x FAN 140 mm METAL top plate

CP-32 NOTEBOOK COOLING PAD

For 10" - 17.3" notebook
 Max. load: 5 kg
 Material: aluminum and silicone
 Weight: 920 g
 Dimensions: 250 x 240 x 55 mm
 Color: bluish-grey
 Adjustable angle
 Rotation: 360 degree



17.3" 5 kg 360° ROTATION METAL

SP-203 2.0 SPEAKERS

Output Power: 2.2 W RMS
 Frequency response: 100 Hz - 20 kHz
 Signal-to-noise ratio: ≥ 80 dB
 Drivers: 2 x 2"
 Input power: USB 5 V DC
 Dimensions (2 pcs.): 52 x 52 x 52
 Connector: AUX 3.5 mm + USB for power
 Cable length: 0.6 m
 Material casing: plastic
 Color: black or white



2.2 W
POWER
RMS



SP-182 2.1 SPEAKERS

Output Power: 11 W (5 W + 2x3 W RMS)
 Frequency response: 150 Hz - 20 kHz
 Signal-to-noise ratio: ≥ 45 dB
 Subwoofer driver: 3"
 Satellite drivers: 2 x 2"
 Input power: USB 5 V DC
 Subwoofer dimensions: 128 x 95 x 105 mm
 Satellite dimensions: 64 x 78 x 55 mm
 Connector: AUX 3.5 mm
 + USB for power supply
 Material casing: plastic
 Color: black



11W
POWER
RMS



BT-161 BLUETOOTH SPEAKER

BT version: V5.3
 Chip: AC6965E
 BT range: 10 m
 Output power: 2 x 8W RMS (16W)
 Driver size: 2 x 66 mm
 Frequency response: 80 Hz - 20 kHz
 Built-in battery: 2400 mAh / 3.7 V Li-Ion
 Signal to noise ratio: ≥ 75 dB ± 3 dB
 Charge time: 3 - 4h
 Playing time: 3 - 4h
 Product size: 145 x 80 x 126 mm
 Material: ABS + Fabric + Silicone
 Weight: 669 g
 Color: Black
 Function: U-disk / TF Card / AUX / BT / TWS



16W
POWER
RMS



SPEAKERS



TANGO BLUETOOTH SPEAKER

Output power: 60 W RMS / 3 unit speakers.
Drivers: 1 x Bass 5" / 2 x Treble 2.5"
Amplifier: TPA3118
BT chip: MVSILICON 5.0
Power: Type-C, DC 5V/2A
Battery: 7.4 V, 6000 mAh
Playtime: up to 6-8 h (50% volume)
Charging time: 6-8 h
Material: PU appearance
Front panel: Nylon cloth mesh 9 mm thickness
Top panel: ABS plastic shell, knobs, brushed aluminum sheet
Functions: BT / AUX 3.5mm / USB / TWS / Controls
BT range: 10 m
Color: Black or white



60W
POWER
RMS


BLUETOOTH
5.0


TWS
true wireless stereo

HEADSETS / EARPHONES



HS-201 MULTIMEDIA HEADSET

Headphone:
30 mm Dynamic type
Impedance: 32 Ω
Sensitivity: 105 dB \pm 3 dB
Frequency: 20 Hz ~ 20 kHz
Max. Input power: 100 mW
Microphone:
Condenser type
Polar pattern: Omni-directional
Sensitivity: -58 dB \pm 2 dB
Overall:
Weight: 125 g
Cord length: 1.8 m
Connector: 2x 3.5mm 3-pin audio jack
Operating voltage: 4,5 V
In-Line Volume control




2 x 3.5 mm
audio interface

HS-707 MULTIMEDIA USB HEADSET

USB 2.0 headset with adjustable microphone
Frequency range: 20 Hz-20 kHz
Speaker impedance: 32 Ω
Driver units: 30 mm
Sensitivity: 103 dB \pm 3 dB
Microphone sensitivity: 56 dB \pm 2 dB
Cable: PVC 1.8 m
Premium stereo sound quality
Interface: USB 2.0 plug
In-line volume control wheel
For music or online chat
Dimensions: 20 x 18 cm




USB
audio interface

EB-TWS18 BLUETOOTH EARBUDS

Chipset: JL 6983
 Bluetooth: 5.1
 Earphone Battery: 30 mAh
 Charging case: 200 mAh
 Music playing time: 4 h
 Standby time: 100 h
 Sensitivity: 93 dB \pm 3 dB
 Impedance: 32 Ω
 Speaker: 13 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Available colors: Black or White



BLUETOOTH
5.1

TWS
true wireless stereo

EB-TWS101 BLUETOOTH EARBUDS

Chipset: JL 7023
 Bluetooth: 5.3 + BR + EDR + BLE
 Earphone Battery: 30 mAh
 Charging case: 200 mAh
 Music playing time: 4 - 5 h
 Standby time: 100 h
 Sensitivity: 102 dB \pm 3 dB
 Impedance: 16 Ω \pm 5%
 Speaker: 10 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Available colors: Black or White



BLUETOOTH
5.3 + BR + EDR + BLE

TWS
true wireless stereo

EB-TWS99 BLUETOOTH EARBUDS

Chipset: JL 7006
 Bluetooth: 5.3 + BR + EDR + BLE
 ANC + 4 mic ENC
 Bluetooth decoding: SBC
 Earphone Battery: 30 mAh
 Charging case: 200 mAh
 Music playing time: 4.5 - 5.5 h
 Standby time: 100 h
 Sensitivity: 121 dB \pm 1.5 dB
 Impedance: 32 Ω \pm 15%
 Speaker: 10 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 15 m
 Available colors: Black or White



ANC + ENC
4 MICROPHONE

BLUETOOTH
5.3 + BR + EDR + BLE

TWS
true wireless stereo

EB-TWS538 BLUETOOTH EARBUDS

Chipset: JL 6983D2
 Bluetooth: 5.2
 Bluetooth protocol: HFP, A2DP, AVRCP, SPP
 Earphone Battery: 30 mAh
 Charging case: 200 mAh
 Music playing time: 3 h
 Standby time: 100 h
 Sensitivity: 102 dB \pm 3 dB
 Impedance: 32 Ω \pm 1.5 dB
 Speaker: 8 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Available colors: Black or White



SPORTY
SERIES

BLUETOOTH
5.2

TWS
true wireless stereo

EB-TWS115 BLUETOOTH EARBUDS

Chipset: AB5616
 Bluetooth: 5.0+EDR
 Earphone Battery: 35 mAh
 Charging case: 200 mAh
 Music playing time: 4 - 5 h
 Standby time: 50 h
 Sensitivity: 102 dB \pm 3 dB
 Impedance: 32 Ω
 Speaker: 8 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Available colors: Black, White or Pink



BLUETOOTH
5.0 + EDR

TWS
true wireless stereo

EB-TWS05 BLUETOOTH EARBUDS

Chipset: Bluetooth JL 7023
 Bluetooth: 5.4 + BR + EDR + BLE
 Earphone Battery: 30 mAh
 Charging case: 200 mAh
 Music playing time: 3 - 4 h
 Standby time: 22 h
 Sensitivity: 97 dB \pm 3 dB
 Impedance: 32 Ω \pm 15%
 Speaker: 10 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Available colors: Black, White or Blue



BLUETOOTH
5.4 + BR + EDR + BLE

TWS
true wireless stereo

EB-TWS54 BLUETOOTH EARBUDS

Chipset: Bluetrum JL 7003
 Bluetooth: 5.4 + BR + EDR + BLE
 ANC + 4 mic ENC
 Bluetooth decoding: SBC, AAC
 Earphone Battery: 45 mAh
 Charging case: 300 mAh
 Music playing time: 6 h
 Standby time: 22 - 26 h
 Sensitivity: 107 dB ±3 dB
 Impedance: 32 Ω ±15%
 Speaker: 13 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Available colors: Black or White



ANC + ENC
4 MICROPHONE



BLUETOOTH
5.4 + BR + EDR + BLE



TWS
true wireless stereo

EB-TWS08 BLUETOOTH EARBUDS

Chipset: Bluetrum 5636D
 Bluetooth: 5.4 + BR + EDR + BLE
 ANC Noise reduction
 Earphone Battery: 35 mAh
 Charging case: 400 mAh
 Music playing time: approx. 4 h
 Standby time: 100 h
 Sensitivity: 121 dB ±1.5 dB
 Impedance: 32 Ω ±15%
 Speaker: 10 mm
 Frequency: 20 Hz - 20 kHz
 Bluetooth range: 10 m
 Touch screen display
 Available colors: Black or White



ANC




BLUETOOTH
5.4 + BR + EDR + BLE



TWS
true wireless stereo

PM-402 LAVALIER MICROPHONE

Transducer type: Electret Condenser
Polar pattern: Omnidirectional
Frequency range: 50 Hz - 18 kHz
Signal-to-noise ratio: 74 dB SPL
Sensitivity: -30 dB +/- 3 dB
Output Impedance: 1000 Ω or less
Interface: 3.5 mm (1/8 inch)
4-pole gold plated plug



H-204 4-PORT USB HUB

USB ports: 4
 Interface USB 2.0
 Transfer rate: 480 Mbps
 IC: SL2.2S
 Hot swap: Yes
 Material: ABS plastic
 Power supply: 5 V / 500 mA (Max.) over USB
 Compatible with: Windows 7 / 8 / 8.1 / 10 / 11
 Mac OS X, Linux OS
 Colors: Black, White & Blue
 Overcurrent protection on every port




 4 x USB
 2.0

H-207 7-PORT USB HUB

USB ports: 7
 Interface USB 2.0
 Transfer rate: 480 Mbps
 Material: Aluminum alloy
 Power supply: USB 5 V / 500 mA (Max.)
 Cable length: 50 cm
 Durability: over 10000 insertion
 Compatible with: Windows 7 / 8 / 8.1 / 10 / 11
 Mac OS X, Linux OS
 Dimensions (mm): 149 x 37 x 22
 Color: Silver
 Overcurrent protection on every port





 7 x USB
 2.0

H-606 3-PORT USB HUB

3-in-1 USB HUB
 1 x USB 3.0 Port
 2 x USB 2.0 Ports
 Plug-and-Play



 2 x USB
 2.0

 1 x USB
 3.0

H-404C

4-PORT USB TYPE-C HUB

4x USB A 3.0 port for connecting USB 3.0 / 2.0 devices
 1x integrated cable with USB Type-C connector
 Transfer speed: up to 5 Gbps
 LED indicator
 Color: Black
 Material: ABS plastic
 Powered through USB
 For USB-C laptops, compatible with Thunderbolt 3
 Plug and play
 Size: 110 x 30 x 10 mm
 Weight: 37 g



4 x USB 3.0
 TYPE-C interface

H-999

7in1 USB TYPE-C HUB

1 x HDMI Female (4K@30 Hz video output)
 1 x Type-C Female (100 W PD3.0 Charging)
 1 x Type-C Female (480 Mbps Data Transfer)
 1 x USB 3.0 Female (5 Gbps Data Transfer)
 1 x USB 2.0 Female (480 Mbps Data Transfer)
 1 x Micro SD card slot
 1 x SD card slot
 Apply to USB Type-C devices
 Plug and play, Hot swap



1 x USB 2.0
 1 x USB 3.0
 TYPE-C interface
 Micro SD
 SD
 SD
 SD

TCA-51

TYPE-C - HDMI/USB-3.0/SD+TF 5 in 1 ADAPTER

HDMI port: 4K @ 30Hz / Full HD 1080p @ 60Hz video output
 USB 2.0 port: transfer speed up to 480 Mbps / 500 mA
 USB 3.0 port: transfer speed up to 5 Gbps / 900 mA
 MicroSD/ SD / SDHC / SDXC card reader
 Color: Black
 Material: ABS Plastic
 Flexible cable
 Compatibility: Windows / MAC / Linux systems



4K ULTRAHD
 2 x USB 3.0
 TYPE-C interface


CR-01 CARD READER

Interface: USB 3.0
 Transfer rate: up to 5 Gbps
 Slot 1: micro SD
 Slot 2: SD / SDHC / SDXC
 Plug & Play



CR-02 SMART CARD READER

Support Card: ATM/CAC/ID/IC/SIS/Credit Cards
 Supported Card Types:
 5V, 3V and 1.8V Smart Cards ISO 7816 Class A, B and C
 Standard: ISO 7816 & EMV Level 1 & T=0 and T=1 Protocols
 Host Interface: USB 2.0 CCID1 (also compliant with USB 1.1)
 Smart Card Interface Speed: 420 Kbps (when supported by card)
 Power Supply: Bus Powered
 PC/SC Driver Support:
 Win 10, 11, MAC OS 10.15 Above, Linux Red Hat 9,
 Ubuntu 8.04, Fedora Core 9 & above



HDC-2562 2.5" HDD ENCLOSURE

Interface: USB 3.0
 Transfer rate: up to 5 Gbps
 Supports 2.5 SATA I/II/III HDD or SSD
 Supported Capacity: up to 2 TB
 (Up to 9.5 mm HDD thickness)
 LED indicators: Power / Data Transfer
 Power supply: Power over USB
 Dimensions (mm): 130 x 78 x 12.3
 Material: Aluminum housing
 Colors: Black or Silver
 Compatible with:
 Windows 7 / 8 / 8.1 / 10 / 11 & Mac OS




USB
 3.0

USBC-11 USB 5.1 SOUND ADAPTER

C-Media Chipset: CM108B
 Compliant with USB 2.0 Full Speed
 Reverse Compliant with USB Audio Device Class Specs 1.0
 USB bus-powered, no external power required
 P&P for Windows 7 / 8 / 8.1 / 10 / 11, Linux and Mac OSx 10+
 Connectors: Mono Microphone-Input Jack,
 Stereo Output Jack, USB type A
 Dimensions (mm): 50 x 20 x 10
 Weight: 10 g
 Color: Black




USB
 2.0



A-901 UNIVERSAL NOTEBOOK ADAPTER

Power: 90 W
Automatic selection of a required voltage
Input: 100 V - 240 V / 1.8 A (Max.)
Output voltage & current:
15 V - 19.5 V / 4.6 A - 6 A
12 compatible terminal connectors
Protection against overload,
short circuit and overvoltage
Compatible with: HP, Dell, Acer, Compaq,
Lenovo, Fujitsu, Toshiba, Asus, IBM,
Samsung, Sony, Delta ...



**90W
POWER**

LN-45W LENOVO NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
Input Current: 1.5 A
Efficiency: over 82%
Output: DC 20 V, 2.25 A, 45 W
DC Connector: Rectangle with center pin
High efficiency and low power consumption
Overcharge protection
Stabilized consumption output,
low oscillation and low interference
Compatible brand: Lenovo



**45W
POWER**

LN-45W2 LENOVO NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
Input Current: 1.5 A
Efficiency: over 82%
Output: DC 20 V, 2.25 A, 45 W
DC Connector: 4.0 mm x 1.70 mm
High efficiency and low power consumption
Overcharge protection
Stabilized consumption output,
low oscillation and low interference
Compatible brand: Lenovo



**45W
POWER**

HP-65W HP NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
 Input Current: 1.5 A
 Efficiency: over 82%
 Output: DC 19.5 V, 3.33 A, 65 W
 DC Connector size: 4.5 mm x 3.0 mm - With center pin
 High efficiency and low power consumption
 Overcharge protection
 Stabilized consumption output,
 low oscillation and low interference
 Compatible Brand: HP



**65W
POWER**

AS-65W ASUS NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
 Input Current: 1.5A
 Efficiency: over 86%
 Output: DC 19 V, 3.42 A, 65 W
 DC Connector size: 4.0 mm x 1.35mm
 High efficiency and low power consumption
 Overcharge protection
 Stabilized consumption output,
 low oscillation and low interference
 Compatible Brand: Asus



**65W
POWER**

AR-65W ACER NOTEBOOK ADAPTER

Input Voltage: AC 100 V ~ 240 V
 Input Current: 1.5 A
 Efficiency: over 86%
 Output: DC 19 V, 3.42 A, 65 W
 DC Connector size: 5.5 mm x 1.7 mm
 High efficiency and low power consumption
 Overcharge protection
 Stabilized consumption output,
 low oscillation and low interference
 Compatible Brand: Acer



**65W
POWER**

DL-65W DELL NOTEBOOK ADAPTER

Input Voltage: AC 100 ~ 240V
 Input Current: 1.5A
 Efficiency: over 82%
 Output: 19.5VDC, 3.34A, 65W
 DC Connector size: 4.5 mm x 3.0 mm with center pin
 Dimensions (mm): 117 x 50 x 32
 High efficiency and low power consumption
 Overcharge protection
 Stabilized consumption output,
 low oscillation and low interference
 Compatible Brand: Dell



65W
POWER

TC-65W TYPE-C UNIVERSAL NOTEBOOK ADAPTER

Input: AC 100-240 V 50/60 Hz 1.5 A
 Output: 20V 3.25A / 15V 3A / 12V 3A / 9V 3A / 5V 3A
 Power: 65 W Max.
 Dimensions: 5 x 5cm (without power connector)
 Weight: 150 g
 Automatic voltage adjustment (up to 65W)
 High energy efficiency
 Protected against short circuits
 Protection against voltage overloads
 Fireproof casing for protection against overheating
 Recommended for indoor use



65W
POWER



TYPE-C
interface

AP-85W MACBOOK MAGSAFE 2 COMPATIBLE ADAPTER

Input: AC 100-240 V 50/60 Hz 1.5 A
 Output: 20V 4.5A
 Power: 85 W Max.
 Plug type: 5-pin MagSafe 2 magnetic connector
 High energy efficiency
 Protected against short circuits
 Protection against voltage overloads
 Fireproof casing
 Recommended for indoor use




MAGNETIC
connector

85W
POWER

TA-23 UNIVERSAL TRAVEL ADAPTER

AC Power rating: 110-240 V
Max. Current: 6 A
Max. Power: 66 W (110 V), 1380 W (240 V)
USB Power output 1: 5V 2.1A
USB Power output 2: 5V 1.0A
Built-in short circuit fuse 6A
Color: Black
LED power indicator
Pin Type: 2 Pin
Grounding: No
Material: Polycarbonate
Dimensions: 61 x 45 x 56 mm
Weight: 97 mm




2 x USB



CHARGERS & HOLDERS

Always powered. Always ready. Fast charging and secure holding for all your devices, at home or on the go. Plug in. Stay connected.



CC-038

DUAL USB-A / TYPE-C CAR QUICK CHARGER 20 W

Input Voltage: DC 12 / 24V

Output USB A: DC 5V / 3A, 9V / 2A, 12V / 1.5A

Output USB C: DC 5V / 3A, 9V / 2.22A, 12V / 1.67A

Power delivery: 38W



38W
POWER



2 x USB



TYPE-C
interface

PS-11

WINDSHIELD VACUUM HOLDER

Car holder for smartphones / MP3 / MP4 / GPS

For screen sizes: 3,5" - 6"

Rotation: 360°

Material: ABS plastic

Color: Black

Washable sticky gel suction cup with lock clip firmly attaches to windshield or dashboard.

A cushioned stretchable holder holds devices securely without scratching or damaging them.




3.5" - 6"

PS-09 FOLDING DESKTOP PHONE/TABLET STAND

Adjustable non-slip silicone plate with 145° adjustment.
The elastic contraction will support your device.
Aluminum support bar with smooth edges and adjustable length.
Support bar adjustment - up to 90°.
Heavy base with super strong bearing capacity and non-slip pads can withstand all mobile phones or even tablets.
Double fold - You can simply fold it after use, put it in a handbag and carry it with you.
Dimensions (mm): 66 x 111 x 162
Weight (g): 140




4" - 10"

PSM-201 CAR PHONE MAGNETIC HOLDER

Rotation: 360°
Easy to install and take off
Magnetic mount holder used on a car air vent
Can be attached to any vehicle with unlimited viewing angles



PSM-202 CAR PHONE MAGNETIC HOLDER

Easy to install and take off
Magnetic mount holder used on a car air vent
Can be attached to any vehicle with unlimited viewing angles



HDMI 1.4 2-PORT SPLITTER

Power supply: 5 VDC / 5 W (Max)
 Dimensions (mm): 128 x 53 x 23.5
 Video amplifier frequency range: 340 MHz
 Input DDC signal: 5 V p-p (TTL)
 Single link range: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz
 Supported video format:
 HDMI 480i / 576i / 480P / 576P / 720P / 1080i / 1080P / 4K,
 VGA up to 3840 x 2160
 Input video signal: 1.2 V p-p
 Transfer speed: 3.4 Gbps
 Supports 8/10/12 bit color, 3D, DTS-HD/Dolby-true HD/DTS/
 Dolby-AC3/DSD audio formats



HDMI 1.4 4-PORT SPLITTER

Power supply: 5 VDC / 5 W (Max)
 Dimensions (mm): 178 x 67 x 23
 Video amplifier frequency range: 340MHz
 Input DDC signal: 5V p-p (TTL)
 Single link range: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz
 Supported video format:
 HDMI 480i / 576i / 480P / 576P / 720P / 1080i / 1080P / 4K,
 VGA up to 3840x2160
 Input video signal: 1.2 V p-p
 Transfer speed: 3.4 Gbps
 Supports 8/10/12 bit color, DTS-HD/Dolby-True HD/DTS/
 Dolby-AC3/DSD audio formats



HDMI 1.4 8-PORT SPLITTER

Power supply: 5 VDC / 10 W (Max)
 Dimensions (mm): 276 x 136 x 24
 Video amplifier frequency range: 340MHz
 Input DDC signal: 5 V p-p(TTL)
 Single link range: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz
 Supported video format:
 HDMI 480i / 576i / 480P / 576P / 720P / 1080i / 1080P / 4K,
 VGA up to 3840x2160
 Input video signal: 1.2 V p-p
 Supports 8/10/12 bit color, DTS-HD/Dolby-True HD/DTS/
 Dolby-AC3/DSD audio formats



HDMI 1.4 16-PORT SPLITTER

Power supply: 12 VDC / 10 W (Max)
 Dimensions (mm): 460 x 150 x 40
 Video amplifier frequency range: 340 MHz
 Input DDC signal: 5 V p-p (TTL)
 Single link range: 1080p/1920x1200 @ 60Hz, 4K/3840x2160 @ 30 Hz
 Supported video format:
 HDMI 480i / 576i / 480P / 576P / 720P / 1080i / 1080P / 4K,
 VGA up to 3840x2160
 Input video signal: 1.2 V p-p
 Transfer speed: 3.40 Gbps
 Resolution (DPI): 4K x 2K
 Supports 8/10/12 bit color, DTS-HD/Dolby-True HD/DTS/
 Dolby-AC3/DSD audio formats





COMPUTER PARTS

Build your perfect PC. Cases, power supplies, cooling - SBOX gives you everything to build or upgrade with ease. Your build. Your rules.

CF-80 COMPUTER FAN

Color: Black
 Fan speed: 2000 +/- 10%
 Dimensions (mm): 80 x 80 x 25
 Plugs: Molex
 Material: Plastic
 Weight (g): 63
 Voltage (V): 12
 Noise (dB): 25.9
 Airflow (CFM): 39.5



CF-120 COMPUTER FAN

Color: Black
 Fan speed: 2000 +/- 10%
 Dimensions (mm): 120 x 120 x 25
 Plugs: Molex
 Material: Plastic
 Weight (g): 100
 Voltage (V): 12
 Noise (dB): 25.9
 Airflow (CFM): 39.5



Computer fans can be ordered in RETAIL packaging.



PSU-300 POWER SUPPLY

Fan dimensions (mm): 120x120
 Color: Black
 PSU length (mm): 140
 Power (W): 300
 Plugs: 24 x 1 (MBO), 4/8 x 1 (CPU),
 SATA x 3 (HDD/SSD), MOLEX x 1 (FAN),
 PCI-E 6/8 x 1 (GPU)
 Type: PC power supply
 Material: Metal
 Item dimensions (mm): 140 x 150 x 86
 Current (Max.):
 12V (22A), 5V (18A), 3.3V (18A)
 PSU cables length (cm): 50 - 67
 Non-PFC



PSU-400-2 POWER SUPPLY

Fan dimensions (mm): 120x120
 Color: Black
 PSU length (mm): 140
 Power (W): 400
 Plugs: 24 x 1 (MBO), 4/8 x 1 (CPU),
 SATA x 3 (HDD/SSD), MOLEX x 1 (FAN),
 PCI-E 6/8 x 1 (GPU)
 Type: PC power supply
 Material: Metal
 Item dimensions (mm): 140 x 150 x 86
 Current (Max.):
 12V (30A), 5V (18A), 3.3V (18A)
 PSU cables length (cm): 50-67
 Non-PFC

Power supplies can be ordered in RETAIL packaging.



PCC-180 COMPUTER CASE

Type: ATX Mid Tower
 Material: Metal (0.5 mm SPCC)/ABS plastic (front panel)
 MBO Compatibility: ATX/Micro - ATX/ITX
 Front panel: USB 2.0 x 2 + HD Audio
 Color: Black
 Power supply: Top of the case
 Extensions:
 2 x external 5.25", 2 x internal 3.5",
 2 x internal 2.5", 7 horizontal + 2 vertical
 Fan mount points:
 2 x front 120 mm (optional),
 1 x rear 80/90 mm (optional),
 2 x side 120 mm (optional)
 CPU Max. Height (mm): 148
 GPU Max. length (mm): 310
 Item dimensions (mm): 358 x 191 x 417.5
 Weight: 3.1 kg



PCC-12 COMPUTER CASE

Type: ATX Mini Tower
 Material: Metal (0.4 mm SPCC)/ABS plastic
 MBO Compatibility: Micro - ATX/ITX
 Front panel: USB 2.0 x 2 + HD Audio
 Color: Black
 Power supply: Top of the case
 Extensions:
 2 x internal 3.5",
 1 x internal 2.5",
 Expansion Slot: 4 horizontal
 Fan mount points:
 1 x rear 80 mm (optional),
 1 x side 120 mm (optional)
 CPU Max. Height (mm): 140
 GPU Max. length (mm): 250
 Item dimensions (mm): 280 x 165 x 350
 Weight: 2.5 kg



BARISTA 3in1 Multi Capsule COFFEE MAKER

Rated voltage: AC 220-240 V / 50-60 Hz
 Rated power: 1150 - 1350 W
 Water tank capacity: 800 ml
 Programmable cup size: 50 ml / 100 ml / 150 ml
 Auto shut off: after 9 minutes
 Available in black or white color

- Slim and space-saving body design
- Simple button operation, only 3 buttons on the control panel
- One machine is suitable for 3 coffee tanks of different brands of capsules and coffee
 - NES coffee holder for Nespresso®-type capsules
 - DG coffee holder for Dolce Gusto®-type capsules
 - GROUND COFFEE trough for dry ground coffee
- 15 Bar pressure pump
- Fast heating - just 35 seconds.
- Hot water mode setting 93 °C - 95 °C
- 3 kinds of capacity adjustment, with 3 serving sizes of large (150 ml), medium (100 ml) and small (50 ml)
- 0.8-liter large-capacity
- Detachable water tray



Nespresso®




Dolce Gusto®



Ground Coffee





CABLES ADAPTERS & CONNECTORS

No mess. Just connection. Reliable, fast, and easy to use — SBOX cables and adapters keep everything working smoothly. Stable performance. Every time.

HDMI 1.4 M/M

Resolution: 3840 × 2160 (4K) @ 30 Hz
 Ethernet
 3D Support
 Pins: 19 + 1
 Connectors: Gold plated
 Available Lengths: 1.5 m / 3 m / 5 m / 10 m / 15 m / 20 m / 25 m



1.5 m 3 m 5 m 10 m 15 m 20 m 25 m

HDMI 1.4 M/M 90°

Resolution: 3840 × 2160 (4K) @ 30 Hz
 90° angle
 Ethernet
 3D Support
 Pins: 19+1
 Connectors: Gold plated
 Cable length: 1.5 m



1.5 m

HDMI 2.0 M/M

Resolution: 3840 × 2160 (4K) @ 60 Hz
 Bandwidth: 18 Gbps
 3D over HDMI, Aspect Ratio: 21:9
 CEC: Yes, HDR: Yes
 Diameter: 6 mm
 AWC: 30
 Connectors: Gold plated
 Available Lengths: 1.5 m / 5 m / 10 m



1.5 m 5 m 10 m

HDMI 2.1 8K M/M

Resolution: 7680 × 4320 (8K) @ 60 Hz
 Bandwidth: 48 Gbps
 Connectors: Gold plated
 CEC: Yes, HDR: Yes
 AWC: 29+30
 Cable length: 2 m



2 m 3 m

HDMI - MICRO HDMI 1.4 M/M

Resolution: 3840 × 2160 (4K) @ 30 Hz
 Ethernet
 3D Support
 Pins: 19+1
 Connectors: Gold plated
 Cable length: 2 m



2 m

HDMI - DP M/M

Resolution: 3840 × 2160 (4K) @ 30 Hz
 Bandwidth: 5 Gbps
 Diameter: 7.3 mm
 AWC: 30
 Connectors: Gold plated
 Cable length: 2 m



2 m

HDMI - MINI DP M/M

Resolution: 3840 x 2160 @ 30 Hz /
2560 x 1600 @ 60 Hz
Connectors: Gold plated
Cable length: 2 m



4K
ULTRAHD
@ 30 Hz

GOLD
plated

2 m

HDMI - DVI M/M

Resolution: 2560 x 1600 @ 60 Hz /
1920 x 1080 @ 120 Hz
AWG: 30
Diameter: 6.0 mm
Connectors: Gold plated
Available Lengths: 2 m / 15 m



1080p
FULLHD
@ 120 Hz

GOLD
plated

2 m 15 m

HDMI - MICRO HDMI F/M

HDMI F to MICRO HDMI M adapter
Connectors: Gold plated



1080p
FULLHD
@ 120 Hz

GOLD
plated

1 pc

HDMI - HDMI F/M 90°

HDMI F to HDMI M 90° adapter
90° Angle type adapter
Connectors: Gold plated



1080p
FULLHD
@ 120 Hz

GOLD
plated

HDMI - MINI HDMI F/M

HDMI F to MINI HDMI M adapter
Connectors: Gold plated



1080p
FULLHD
@ 120 Hz

GOLD
plated

1 pc

TYPE C - HDMI M/F

USB Type-C M. to HDMI F. Adapter
Input: USB 3.1 Type-C, 8.3mm x 2.6mm, 24-pin
Output: HDMI F.
Data transfer: up to 10 Gbps
Video support: 4K @ 30 Hz
Compatibility: Windows / Mac OS / Linux
Cable length: 15.5 cm



4K
ULTRAHD
@ 30 Hz

GOLD
plated

15.5
cm

HDMI - VGA M/F

Adapter HDMI M to VGA F
 Input DDC Signal: 5 V p-p (TTL)
 WUXGA 1920x1200 @ 60Hz, 1920x1080 @ 60Hz
 Analog output RGB to VGA triple 9-bit DAC
 up to 200MHz pixel
 Analog video output to a 1080p with 10-bit DAC.
 Frequency range: 50/60 Hz
 Scope of video amplification: 1.65 Gpbs / 165MHz
 Supports HDCP 1.0 / 1.1 / 1.2
 Color: Black
 Connectors: Gold plated
 Cable length: 20 cm



1080p FULLHD
 @ 60 Hz
GOLD
 plated

20
 cm

HDMI - VGA M/F + AUDIO

Adapter HDMI M to VGA F + 3.5 mm Audio
 Input DDC Signal: 5 V p-p (TTL)
 WUXGA 1920x1200 @ 60Hz, 1920x1080 @ 60Hz
 Analog output RGB to VGA triple 9-bit DAC
 up to 200 MHz pixel
 Audio encoder which supports 2-channel
 IIS / S / PDIF audio output
 Supports analog video output to a 1080p
 with 10-bit DAC.
 Frequency range: 50/60 Hz
 Scope of video amplification: 1.65 Gpbs / 165MHz
 Supports HDCP 1.0 / 1.1 / 1.2
 Color: White
 Cable length: 20 cm



1080p FULLHD
 @ 60 Hz
GOLD
 plated

20
 cm

HDMI - HDMI F/F

HDMI Adapter / Coupler HDMI F to HDMI F
 Connectors: Gold plated



1080p FULLHD
 @ 120 Hz
GOLD
 plated

HDMI - DVI D F/M

HDMI F to DVI D (24+1 pin) M Adapter
 Dual-link
 Connectors: Gold plated



1080p FULLHD
 @ 120 Hz
GOLD
 plated

1 pc

DVI I - VGA M/F

DVI I (24+5 pin) M - VGA (15 pin) F Adapter
 Dual-link
 Connectors: Gold plated



1080p FULLHD
 @ 120 Hz
GOLD
 plated

1 pc

SCART - SCART 21P M/M

SCART cable 21 Pin M/M
 Wires dimension: 21 x 6/0.1 mm
 Cable length: 1.5 m



1.5 m

DVI - DVI M/M DUAL-LINK (24+1)

Resolution: 2560 x 1600 @ 60 Hz /
1920 x 1080 @ 120 Hz
Connectors: Gold plated
Pins: 24+1
Cable length: 2 m



1080p
FULLHD
@ 120 Hz

GOLD
plated

2 m

DISPLAY PORT - DVI M/M

Display Port M to DVI 24+1 M
Resolutions: 1920 x 1080 @ 60 Hz
Connectors: Gold plated
Cable length: 2 m



1080p
FULLHD
@ 60 Hz

GOLD
plated

2 m

DISPLAY PORT M/M

Resolution: 3840 x 2160 @ 30 Hz /
2560 x 1600 @ 60 Hz
Connectors: Gold plated
Cable length: 2 m



4K
ULTRAHD
@ 30 Hz

GOLD
plated

2 m

DISPLAY PORT - MINI DP M/M

Resolution: 3840 x 2160 @ 30 Hz /
2560 x 1600 @ 60 Hz
Connectors: Gold plated
Cable length: 2 m



4K
ULTRAHD
@ 30 Hz

GOLD
plated

2 m

SVGA - SVGA HD - 15 pin M/M

Double shielded
AWG: 26
Diameter: 8 mm
Connectors: Nickel
Available lengths: 2 m / 5 m / 10 m / 15 m / 20 m



2 m 5 m 10 m 15 m 20 m

TOSLINK OPTICAL CABLE M/M

Connectors: Toslink standards M - Toslink standards M
Outside diameter: 4 mm
Connectors: Gold plated
Protective caps
Color: Black
Cable length: 1.5 m



1.5 m

3.5 mm - TYPE C ADAPTER F/M

Color: White
Cable length: 12 cm



12
cm

TYPE C - TYPE C + 3.5 mm

For all devices that have only Type C connector.
Adapter compatibility depends also on the smartphone
manufacturer.
Cable length: 10 cm



10
cm

USB A - B M/M

USB 2.0 cable A - B M/M
Transfer rate: 480 Mbps
Connectors: Nickel
Available Lengths: 2 m / 3 m / 5 m



2 m 3 m 5 m

USB EXTENSION A - A F/M

USB Extension 2.0 cable A - A M/F
Transfer rate: 480 Mbps
Connectors: Nickel
Available Lengths: 2 m / 3 m / 5 m



2 m 5 m

USB A - MICRO USB M/M

USB 2.0 cable A - Micro USB Spin M/M
Transfer rate: 480 Mbps
Connectors: Nickel
Available Lengths: 1 m / 2 m



1 m 2 m

USB A - MINI USB M/M

USB 2.0 cable A - Mini USB 5pin M / M
Transfer rate: 480 Mbps
Connectors: Nickel
Cable length: 2 m



2 m

USB A - RS-232 M/M

USB 2.0 A M - RS-232 M
Transfer rate: 480 Mbps, 9 pin,
Chip: CH340T
Connectors: Nickel
Cable length: 2 m



2 m

USB TYPE-C - TYPE-C M/M

Outside diameter: 3.2 mm
Max. current: 3 A @ 5 V
For charging / data transfer
PVC plug
Length: 1 m / 1.5 m



1 m 1.5 m

USB TYPE-C - TYPE-C M/M 60W

USB 2.0
Braided cable: Yes
Color: Black, Yellow, Pink, Blue & Green
Transfer speed: 480 Mbps
Outer cable diameter (mm): 3.5
Max current: 3 A
Cable length: 1 m, (3m only black)




BRAIDED
cable

1 m

USB TYPE-C - TYPE-C M/M 100W

Braided cable: Yes
 Color: Black/Grey
 Transfer speed: 10 Gbps
 Wire thickness: 0.08
 Outer cable diameter (mm): 5
 Max. current: 3 A
 Cable length: 1.5 m



1.5 m

USB A - TYPE-C 3.0 M/M

USB 3.0 A M to USB Type C M
 Transfer rate: up to 5 Gbps
 Color: Black
 Connectors: Nickel
 Available lengths: 1 m / 1.5 m



SS
 USB
 3.0

1 m 1.5 m

USB A - TYPE-C 3.0 F/M

Headphone adapter 3.5 mm F. - 6.3 mm M.
 Standard 3 pole (2 black rings) 3.5 mm stereo plug
 Connectors: Nickel
 Cable length: 20 cm



SS
 USB
 3.0

20 cm

USB A - 8-PIN M/M

USB 2.0 A M to 8-pin Lightning M

Compatibility:

iPhone 5, 5c, 5s, 5e, 6, 6 Plus, 6s, 6s Plus, 7, 7 Plus, 8, 8 Plus, 9, 9 Plus, X, iPad mini, mini 2, Air, Air 2, mini 3, mini 4, Pro (9.7-inch), Pro (12.9-inch), iPod nano 7th Generation, touch 5th Gen. 32GB/64GB, touch 5th Gen 16GB, touch 6th Gen.

Transfer rate: up to 480 Mbps

Colors: Gold, Grey, Silver, Rose Gold & Black

Connectors: Metal, Nickel plated

Length: 1.5 m



METAL
 connectors

BRAIDED
 cable

1.5 m

USB A - 8-PIN M/M

USB 2.0 A M - 8-pin M
 USB Sync / Charging, For iPhone 5
 Connectors: Nickel
 Length: 1 m



1 m

TYPE-C - 8-PIN M/M

TYPE-C 2.0 A M - 8-pin M
 USB Sync / Charging
 Connectors: Nickel
 Length: 1 m



1 m

USB A - 8-PIN/TYPE-C/MICRO USB 2.4 A M/M

Transfer speed: up to 480 Mbps
Charge only
 Connectors: Metal, Nickel plated
 Color: Black
 Cable length: 1 m



1 m

8-PIN - TYPE-C M/F


Lightning port to Type-C
 Connectors: Nickel
 Color: White



1 pc

UTP CAT-5E INLINE COUPLER

UTP CAT-5e RJ-45 F to RJ-45 F
 Adapter / Coupler
 Color: White



1 pc

C14 PC POWER CABLE 90°

PC to Schuko power cable, 220 V / 50 - 60 Hz
 3 x 28 x 0.15 Cu, OD: 5 mm
 Cross section: 0,5 mm²
 Max Current: 10A
 Length: 2 m



2 m

C7 POWER EURO CABLE

220V Power Euro cable 220V / 50 - 60 Hz
 AWG: 18
 H03VVH2-F 2 x 0.5 Cu
 Cross section: 0.5 mm²
 Max Current: 10A
 Length: 2 m



2 m

C5 SCHUKO POWER CABLE

220V Schuko power Euro cable 220V / 50 - 60 Hz
 H05VV-F 3 x 0.75 Cu
 OD: 6.5 mm
 Cross section: 0.5 mm²
 Max Current: 10A
 Length: 2 m



2 m

C14 PC POWER CABLE

PC to Schuko power cable, 220 V / 50 - 60 Hz
 3 x 28 x 0.15 Cu, OD: 6 mm
 Cross section: 0.5 mm²
 Max Current: 10A
 Length: 2 m



2 m

C13-C14 UPS POWER CABLE

220V Schuko power Euro cable 220V / 50 - 60 Hz
 3 x 28 x 0.15 Cu, OD: 6 mm
 Cross section: 0.5 mm²
 Max Current: 10A
 Length: 2 m



2 m

UTP CAT-5E 305 m

UTP (Unshielded Twisted Pair) LAN cable CAT-5e
 4 Twisted Pair - 4P x 7/0.16 CCA
 26 AWG
 Length: 305 m



305 m

UTP CAT-5E GREY

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
 4 Twisted Pair - 4P x 7/0.16 CCA
 26 AWG, CAT-5e, Color: Grey
 Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 7.5 m / 10 m / 15 m / 20 m / 30 m



0.5 m 1 m 2 m 3 m 5 m 7.5 m 10 m 15 m 20 m 30 m

UTP CAT-5E BLUE

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7/0.16 CCA
26 AWG, CAT-5e, Color: Blue
Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 10 m / 20 m



0.5 m 1 m 2 m 3 m 5 m 10 m 20 m

UTP CAT-5E RED

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7/0.16 CCA
26 AWG, CAT-5e, Color: Red
Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 10 m / 20 m



0.5 m 1 m 2 m 3 m 5 m 10 m 20 m

UTP CAT-5E YELLOW

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7/0.16 CCA
26 AWG, CAT-5e, Color: Yellow
Available Lengths: 0.5 m / 1 m / 2 m / 3 m / 5 m / 10 m / 20 m



0.5 m 1 m 2 m 3 m 5 m 10 m 20 m

UTP CAT-6 YELLOW

UTP (Unshielded Twisted Pair) LAN cable with gold plated molded connectors
4 Twisted Pair - 4P x 7 x 0.16CCA
26 AWG, CAT-6, Color: Grey
Available Lengths: 2 m / 3 m / 5 m / 10 m / 15 m / 20 m / 30 m



2 m 3 m 5 m 10 m 15 m 20 m 30 m

UTP CAT-6 305 m

UTP (Unshielded Twisted Pair) LAN cable CAT-6
26 AWG
Length: 305 m



305 m

CONNECTOR RJ-45 (UTP)

RJ-45 / 8P8C
CAT-5e



1 pc

CONNECTOR RJ-11 6P4C

RJ-11 / 6P4C
Phone connector



1 pc

RF M/F CABLE

RF M/F Cable
HQ Coaxial RF TV cable
Impedance: 75 Ω
Length: 2 m / 5 m / 10 m



2 m 5 m 10 m

CONNECTOR F 1 PC.

Type: Coaxial Connector
Male Connector
Shape: Strip
Connector Type: F Connector
Length: 18 mm
Material: All Zinc



1 pc

CONNECTOR F 5 PCS.

Type: Coaxial Connector
Male Connector
Shape: Strip
Connector Type: F Connector
Length: 18 mm
Material: All Zinc



5 pc

CONNECTOR F 10 PCS.

Type: Coaxial Connector
Male Connector
Shape: Strip
Connector Type: F Connector
Length: 18 mm
Material: All Zinc



10 pc

ADAPTER F - RF M

Type: Coaxial Connector
Interface Type: PAL
Shape: Strip
Impedance: 75 Ω
Material: All Zinc



1 pc

ADAPTER F - F

Type: Coaxial Connector
 Interface Type: PAL
 Shape: Strip
 Impedance: 75 Ω
 Material: All Zinc



1 pc

CONNECTOR RF ANGLE F

Type: Coaxial Female Connector
 Interface Type: PAL
 Connector dimensions: 9.5 mm
 Shape: Right
 Impedance: 75 Ω
 Material: All Zinc



1 pc

CONNECTOR RF ANGLE M

Type: Coaxial Male Connector
 Interface Type: PAL
 Connector dimensions: 9.5 mm
 Shape: Right
 Impedance: 75 Ω
 Material: All Zinc



1 pc

CONNECTOR RF ANGLE M+F

Type: Coaxial Male Connector
 Interface Type: PAL
 Connector dimensions: 9.5 mm
 Shape: Right
 Impedance: 75 Ω
 Material: All Zinc



2 pc

CCP-301 CABLE CLIP HOLDER

Dimensions (mm): 29 x 15
 Material: TPR
 Quantity: 4 pcs



4 pc



